

DATA SHEET

ORIFICE FLOW REGULATORS

PRODUCT DESCRIPTION : Device shaped like a coupler or plate regulator.

FUNCTION : Controls water flow

RAW MATERIALS : Made from polyvinyl chloride (PVC)

TECHNICAL DATA : Diameter: 200 mm (8 in), 250 mm (10 in), 300 mm (12 in), 375 mm (15 in) and 450 mm (18 in)
Flow rate: 8 to 120 m³/s (282.7 to 4,240.32 ft³/s)

AVAILABLE COUPLERS : Adapts to all types of pipes (PVC, HDPE, concrete, TILE)



PLUG STYLE FLOW REGULATOR



PLATE REGULATOR

TECHNICAL DATA TABLES

PLUG STYLE FLOW REGULATOR

Nom. dia. of the pipe		Type				
		A	B	C	D	F
mm	in					
200	8	X	X			
250	10	X	X	X	X	
300	12	X	X	X	X	X
375	15	X	X	X	X	X
450	18	X	X	X	X	X
525	21	X	X	X	X	X
600	24	X	X	X	X	X



PLATE FLOW REGULATOR

Nom. dia. of the pipe		Type				
		A	B	C	D	F
mm	in					
200	8	X	X	X	X	X
250	10	X	X	X	X	X
300	12	X	X	X	X	X
375	15	X	X	X	X	X
450	18	X	X	X	X	X
525	21	X	X	X	X	X
600	24	X	X	X	X	X



DATA SHEET

ORIFICE FLOW REGULATOR (CONT.)




6000 chemin Saint-François, Montréal (Québec) Canada H4S 1B9
Téléphone : (514) 337-2624 (800) 363-4343 Télécopieur : (514) 337-7666




DATA SHEET

ORIFICE FLOW REGULATOR (CONT.)



0000 chemin Saint-François, Montréal (Québec) Canada H4S 1B0




0000 chemin Saint-François, Montréal (Québec) Canada H4S 1B0
Téléphone : (514) 337-2524 (800) 363-4343 Télécopieur : (514) 337-7686



DATA SHEET

ORIFICE FLOW REGULATOR (CONT.)



OPTION : Sizes of orifice based on specific water flows and loads are available upon request.