SOLENO

MASTERING WATER SUSTAINABLY

# 2024 RETAIL PRICE LIST

## USA



SOLENO.COM

SOLENO
MASTERING WATER SUSTAINABLY

## TABLE OF CONTENTS


CONTACTS 7
PICK-UP POLICY 8
RETURN MERCHANDISE POLICY 9
TRANSPORTATION SERVICE FOR THE RETURN OF MERCHANDISE 10
GENERAL SALES TERMS AND CONDITIONS 11
GENERAL SALES TERMS AND CONDITIONS (CONT.) 12
DRAIN
- 75 mm (3 in) 13
- 100 mm (4 in) 13
- 150 mm (6 in) 13
- 200 mm (8 in) 13
- 250 mm (10 in) 14

SOLIFLEX
- 100 mm (4 in) 15

SMOOTH INTERIOR FLEXIBLE CORRUGATED DRAIN
- 200 mm (8 in) 16
- 250 mm (10 in) 16
- 300 mm (12 in) 16
- 375 mm (15 in) 16
- Split Coupler 16

DRAIN ACCESSORIES
- Internal Coupler 17
- Double Bell Snap 17
- Split Coupler 17
- Internal End Cap 17
- External End Cap 18
- 90-Degree Elbow 18
- External Reducer 18
- Tee 18
- Reducing Tee 19
- Tee-Wye (Y) 19
- Internal Tee 19
- Wye (Y) And Wye (Y) Reducer 20
- Down Spout Adapter 20
- Drain Pipe Universal Adapter 20
- HDPE Adapter For PVC 20
- Extensible Tape (White) 21
- Extensible Tape (Black) 21
- Grate With Small Holes 21
- Plastic Grate Disc 21
- Stainless Steel Reinforced Plastic Grate 22
- Stainless Steel Fork Grate 22
- Stainless Steel Inside Grate 22
- Aluminium Grate 23
- Small Hole Vertical Drain (Hickenbottom) 23
- Large Hole Vertical Drain (Hickenbottom) 23
- Vertical Drain Tee 24
- Vertical Drain Reducer 24
- Tap Tee 24
- Drainage Flag 25
- Drainage Outlet Sign 25
- Galvanized Steel Post 25

## TABLE OF CONTENTS


Drainage Outlet With Fork Grate 25
Non-Return Valve Outlet 26
Drainage Outlet With External Round Grid 26
Slide Valve 26
Water Control Structure 26
Drainage Access Chimney 27

**FLOOR DRAIN AND SUMPWELL CATCH BASIN**
Sump Well 28
Sump Well Cover 28
Radon Sump Basin 28
Radon Sump Basin Cover 28
Fibro-Drain Floor Drain 29
Fibro-Drain Radon Floor Drain 29
Tuf-Tite Floor Drain 29

**SOLFLO (CORRUGATED INTERIOR AND EXTERIOR)**
100 mm (4 in) 30
150 mm (6 in) 30
200 mm (8 in) 30
300 mm (12 in) 30

**SOLFLO MAX (SMOOTH INTERIOR AND CORRUGATED EXTERIOR) - R210**
300 mm (12 in) 31
375 mm (15 in) 31
450 mm (18 in) 31
525 mm (21 in) 31
600 mm (24 in) 31
750 mm (30 in) 31
900 mm (36 in) 32

**TURBULENCE**
450 mm (18 in) 32
600 mm (24 in) 32
750 mm (30 in) 32

**SOLFLO MAX (SMOOTH INTERIOR AND CORRUGATED EXTERIOR) - R320**
100 mm (4 in) 33
150 mm (6 in) 33
200 mm (8 in) 33
250 mm (10 in) 33

**SOLFLO MAX (SMOOTH INTERIOR AND CORRUGATED EXTERIOR) - R320**
300 mm (12 in) 34
375 mm (15 in) 34
450 mm (18 in) 34
525 mm (21 in) 34
600 mm (24 in) 34
750 mm (30 in) 34
900 mm (36 in) 34

**SOLFLO MAX (SMOOTH INTERIOR AND CORRUGATED EXTERIOR)**
1050 mm (42 in) 35
1200 mm (48 in) 35
1500 mm (60 in)** 35

**TRIPLEFLO**
100 mm (4 in) 35

**SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES**
Split Coupler 36

## TABLE OF CONTENTS


Clamp Coupling 36
Repair Coupling 37
MarMac PolySeal Coupler 37
MarMac Clamping Tool 37
Double Bell 38
End Cap 39
O-Ring Gasket (HDPE to HDPE) 40
PVC Transition O-Ring Gasket (HDPE to PVC) 40
22.5 Degree Elbow 41
45 Degree Elbow 42
90 Degree Elbow 43
90 Degree Elbow - 3 Sections 44
Cross 45
Cross-Reducer 46
Cross-Reducer 47
Reducer 48
Reducer 49
Tee 50
Reducer Tee 51
Reducer Tee 52
Wye (Y) 53
Wye (Y) Reducer 54
Wye (Y) Reducer 55
Manhole Adapter - PVC Format 56
Manhole Adapter For Concrete Entry 56
Universal Sol-Tee 57
Universal Sol-Tee Saw Bit 57
Flared End - HDPE 58
Flared End - Steel 58
Sacrificial Pipe 59
Steel Cross 59

**BEVELLED PIPE**
Pipe with Bevelled End 60
Bevelled Cut 60

**SLUICE PIPE**
Pipe 61
Anchor 61

**ENVIRO-SPAN**
Straight Module 63
Angle Module 63
Connector 63

**CHANNEL**
Hauraton Recyfix Pro & NC Channel 64
Hauraton Recyfix Pro & NC Vertical Drain 65
Hauraton Recyfix Pro & NC Accessories 65
Hauraton Top X Channel 66
Hauraton Top X Accessories 66

**KRAH**
Pipe 67
Gasket 67

**SMOOTH EXTERIOR CATCH BASIN**
Catch Basin 68

## TABLE OF CONTENTS


Additional Height 68
Catch Basin 600 mm (24 in) 68

**SMOOTH EXTERIOR MANHOLE**
Manhole 750 mm (30 in) - 900 mm (36 in) 69
Manhole 1050 mm (42 po) - 1500 mm (60 po) 69
Additional Height 69

**CORRUGATED MANHOLE/CATCH BASIN**
Catch Basin 300 mm (12 in) - 900 mm (36 in) 70
Catch Basin 1050 mm (42 in) - 1500 mm (60 in) 70
Additional Height 70

**SMOOTH EXTERIOR PRETREATMENT CATCH BASIN**
Catch Basin 71
Interior Elbow Of The Pretreatment Catch Basin 71

**PERCOLATION CATCH BASIN**
Catch Basin 72

**LINEAR CATCH BASIN**
Catch Basin 73

**MANHOLE/CATCH BASIN ACCESSORIES**
Connection 74
Galvanized Steel Ladder 74
Lifting Eyelet 74
Storm Sewer Trap Cover 75
Hook For Retention Bell 75
HDPE Grid 75
Fusion Box 76

**CAST IRON**
Frame And Grate Kit 77
Frame And Cover Kit 77
Frame And Curved Grate Kit 77

**RISER FOR MANHOLE/CATCH BASIN WITH SMOOTH EXTERIOR WALL**
2 Corrugation Riser 78
3 Corrugation Riser 78

**MONOLITHIC CATCH BASIN INLET / CONNECTION**
Welded Connection On Main Pipe 79

**TANK**
Unit 80
Chimney 80

**SETTLING AND SEPARATION TANK FOR STORM WATER**
Unit 81
Riser (from 0.3 m to 1 m in height) 82
Riser (over 1 m in height) 82
Cast Iron 82

**RETENTION CHAMBER - STORMCHAMBER**
Chamber SC-18 83
Chamber SC-34E 83
Chamber SC-44 83

**RETENTION CHAMBER - HYDROSTOR**
Chamber 84
End Cap 84

**RETENTION CHAMBER - ECOCHAMBER**
Chamber 85

**CHAMBER ACCESSORIES**

## TABLE OF CONTENTS


Sediment Trap 86
Inspection Port 86
Geotextile 86

**PRETREATMENT UNIT**
Unit 87
Inlet 87
Outlet To Chamber 87
Outlet To Diffuser 88
Riser (from 0.3 m to 1 m in height) 88
Riser (over 1 m in height) 88
Cast Iron 88

**PLASTIC GEOCELLULAR STORMWATER MANAGEMENT SYSTEM STORMBRIXX**
StormBrixx 89

**RETENTION BASIN - 900 mm (36")**
Components 90

**RETENTION BASIN - 1200 mm (48")**
Components 91

**CONCRETE CDS**
Unit 92
Cast iron 92

**HDPE CDS**
Unit 93

**STORMFILTER**
Manhole 94
Cast iron 94
Vault 95
Cast iron 95
Vault with internal bypass structure 96
Cast iron 96

**STEEL ACCESSORIES**
Steel Eyelet 97
Nuts And Bolts 97

**REMOVABLE FISH WEIR**
For Steel Pipe 97

**GEOTEXTILES**
Epurtex 98
TX-80 98
TX-170 - BNQ Certified 98
TX-F 98

**FLOW REGULATOR**
Plug Style Flow Regulator 99
Plate Flow Regulator 99
Vortex Flow Regulator 99
Check Valve 99

## SOLENO

### THE TEAM
**AVAILABLE AND SPECIALIZED**

At Soleno, solution excellence is based on our **specialized consulting services** and our expertise developed over the years with designers, network managers and contractors responsible for the installation and maintenance of civil infrastructure.

Our engineers are available to help you identify and implement the best management practices for protecting water resources that may be adversely affected by runoff in rural or urban environments.

Our customer service team, supported by highly efficient transport management, ensures the smooth running of all projects.

## CONTACTS

### Headquarters

Soleno inc.
1160, route 133
St-Jean-sur-Richelieu, QC J2X 4B6
CANADA
T 450.347.7855
F 450.359.4150

### Internal Sales

**Iberville, QC**
Toll free : 877.633.7473
T 450.347.7855
F 450.347.0684
clientele@soleno.com

**McAdam, NB**
Toll free : 800.325.4242
T 506.784.1888
F 506.784.1890
clientele@soleno.com

### Plants and distribution centers

**St-Jean-sur-Richelieu**
1160, route 133
St-Jean-sur-Richelieu, QC J2X 4B6
CANADA

**St-Nicolas**
1185, chemin Industriel
St-Nicolas, QC G7A 1B2
CANADA

**St-Jean-sur-Richelieu**
600, rue Joseph-Oscar-Lévesque
St-Jean-sur-Richelieu, QC J2X 0E8
CANADA

**Ste-Madeleine**
2676, chemin Plamondon
Ste-Madeleine, QC J0H 1S0
CANADA

**St-Louis-de-Blandford**
130, rue Industriel
St-Louis-de-Blandford, QC G0Z 1B0
CANADA

**Soleno Textile**
1261, rue Berlier
Laval, QC H7L 3Z1
CANADA

**McAdam**
64, Northlane
McAdam, NB E6J 1K6
CANADA

**Embrun**
1241, Notre-Dame
Embrun, ON K0A 1W0
CANADA

**Soleno Service**
844.653.1488
service@soleno.com
Service 24/7
RBQ : 5668-4319-01



Publication date : 2024-03-01

## PICK-UP POLICY

**A FEW TIPS REGARDING CUSTOMER PICK-UPS :**

1- Hours of service for loading are from 8:00 am to 12:00 pm and from 1:00 pm to 5:00 pm. No loading is authorized between noon and 1:00 pm. This is valid all year round. No loading on weekends.

2- Because our products come in a wide variety of dimensions, we cannot guarantee that specific orders will ship complete regardless of their monetary value.

3- Soleno reserves the right to refuse loading, when a regulation of the Ministry of transportation is not respected or can compromise the security of its employees or that of the public safety on highways.

4- Any damage caused to the goods at the time of pick-up will be the full and entire responsability of the customer.

**A FEW PRACTICAL HINTS :**

1- Flat bed vehicles must be equipped with posts and straps (tie downs) according to the Ministry of Transportation cargo securement regulations.

2- We recommend the use of a semi-trailer (dry box) or a flat bed equipped with 12 posts with a minimum height of 8' for a complete load of drain.

3- We recommend the use of a semi-trailer (dry box) or a flat bed equipped with 12 posts, with a height of 8' for a load of pipes that would be 18" in diameter or less and 6 meters in length mixed with drain coils.

4- We recommend the use of a flat bed equipped with 16 posts with a minimum height of 8' for a mixed load of pipes containing 4 meter lengths.

5- In order to maximize loading, Soleno will nest pipes of different diameters in a flat bed vehicle if it is equipped with a minimum of 2 security nets (one at each end of the load).

6- Contact our transport department at 450.347.7855 x 269 or x 383 for more information on the loading of your truck.

**Flat bed equipped with posts**



**Flat bed without posts**

## RETURN MERCHANDISE POLICY

**SOLENO MAY ACCEPT THE RETURN OF PRODUCTS,**
**SUBJECT TO THE FOLLOWING :**

1 - Prior to returning any products, purchaser must obtain a return material authorization from Soleno.

2 - Purchaser must indicate invoice number products being returned refer to.

3 - Products must be returned by prepaid freight (see Transportation Service for the Return of Merchandise below for more information). The deadline for accepting returns of all products is valid for a maximum period of one year.

4 - Products must be received in good condition.

5 - A minimum return fee of 25% of the purchase price will be applied against any credit issued in regards to the returned products, except in the case of a shipping error by Soleno. Soleno may apply additional charges against the credit to cover remarketing costs, or may refuse to issue any credit.

6- A minimum return fee of 50% of the purchase price will be applied against any credit issued in regards to certain goods such as obsolete products, excessive quantities and any specialty products that normally cannot be returned such as:

- All perforated and filtered culverts.
- All Solflo and Solflomax fabricated fittings.
- All special products not shown in current price lists.

7- The following products are non-returnable :

- All fabricated catch basins and their components
- All custom-made products, and those specially manufactured in order to meet specific project requirements.

**Important note :** In order to find out the applicable return fee for specific products, please consult the "Return Fee" column of the associated invoice.

## TRANSPORTATION SERVICE FOR THE RETURN OF MERCHANDISE

**SOLENO OFFERS TRANSPORTATION FOR THE RETURN OF MERCHANDISE UPON THE FOLLOWING CONDITIONS :**

1- A fixed rate for pick-up and loading with our carrier is 75$, and is applicable on any return, plus the % corresponding to your delivery zone, whatever the monetary value of the merchandise returned.

2- The merchandise will be picked up at Soleno's convenience.

## GENERAL SALES TERMS AND CONDITIONS

**Orders**
Purchaser's orders are conditional upon satisfactory credit approval by Soleno.

**Special Orders**
Once confirmed by Soleno, orders for custom-made products manufactured to Purchasers specifications, and orders for non-inventoried products cannot be cancelled or modified, except with Soleno's written consent and upon terms which provide Soleno with compensation for the costs and expenses incurred.

These products are:
- All perforated and/or filtered culverts;
- All Solflo and Solflomax fabricated fittings;
- All fabricated catch basins and their components;
- Any product that has been altered from its original state (E.g. Monolithic connectors, bevelled pipes, etc.);
- All special products not shown in current price lists.

Soleno reserves the right to ask for written orders and down payments before proceeding to the fabrication of such products. Each and every order could be partially or entirely released at Soleno's discretion. Invoices will be sent out following each shipment.

**Prices**
Prices are published for information purposes only and may be subject to change without notice, at Soleno's sole discretion. Any price variation, notably due to an increase in the cost of raw materials or any other circumstance beyond Soleno's control, will be confirmed with the buyer prior to the sale. Final prices are confirmed upon acceptance of orders by Soleno with the issuance of an Order Confirmation. In case of contradiction between the published prices and the prices confirmed in the Order Confirmation, the prices indicated in the Order Confirmation shall prevail.

Published prices do not include applicable taxes, including but not limited to sales, use, excise or any other taxes or levies imposed under any law, regulation or ordinance currently or in the future affecting the Products. All applicable taxes will be levied unless Buyer provides Soleno with tax exemption certificates or other documents required by the competent tax authorities prior to the issuance of the Order Confirmation by Soleno. Soleno reserves the right to request any additional documents or information in order to proceed with such tax exemption. Soleno reserves the right to levy the applicable taxes if the information provided by the buyer is insufficient or incomplete.

**Shipment and lead time**
Delivery schedules stipulated in either the quotation of the order confirmation are approximate only. Shipments will be made within reasonable proximity thereto. Under no circumstances will Soleno be responsible for any damage whatsoever caused by delays in shipment, whether resulting from causes within or beyond the control of Soleno.

**Purchasers must verify quantities and report in writing to Soleno any discrepancies within one (1) business day of receipt.**

**Payment**
Unless other terms of payment are agreed to in writing by Soleno, payment is due the 30th day the month following the date of the invoice.


Publication date : 2024-03-01

## GENERAL SALES TERMS AND CONDITIONS (CONT.)

**Title to goods sold**
Purchasers acknowledge and agree that as long as the products are in their possession, title of products shall remain with Soleno until full payment is received by Soleno. Purchasers agree to defend, compensate and hold Soleno free of all costs, expenses and damages arising out of any claims asserted against Soleno, following the exercise of its ownership rights or any recourse in payment of purchase price.

**Warranty**
All Soleno's products are guaranteed against manufacturing defects for one (1) year after shipment. Soleno will replace, free of charge, any products which are found to be defective.

Soleno will not be held responsible for and/or allow claims for labor, materials and/or other expenses required to replace the defective product, or to repair any damage resulting from the use thereof. Soleno disclaims any responsibility for Purchasers calculations, product drawings or engineering design specifications. Soleno's liability is limited to the purchase price applicable to the product.

**Limitation of liability**
Soleno reserves the right to make changes or improvements to its products without assuming any further obligation. Soleno disclaims any responsibility regarding the accuracy of any plans, drawings or specifications furnished to Purchasers as part of the sale of any of its products. Soleno products shall be used or tested in applications or under conditions that are in accordance with technical information or literature available from Soleno.

It is agreed and understood that Soleno's liability is strictly limited to the replacement of products as hereinbefore specified, and that Soleno shall not, in any event, be liable for any damages whether for the loss of use, business interruption, or any other claim for incidental, consequential, special or punitive damages. There is no warranty, condition or representation of any nature whatsoever, expressed or implied, by statute or otherwise, except as herein contained, and Soleno disclaims any implied warranties of market value and/or applicability of its products for a special purpose.

**Important notice**
All precautions have been taken to certify the information. No liability will be accepted for any errors and or omissions. Due to constant improvements our specifications are subject to change without notice. This price list supersedes all previous documentation.

## DRAIN

| Length | Description | Type | Micron | Qty T/B* | Code | Price / Foot |
|---|---|---|---|---|---|---|
| **75 mm (3 in)** | | | | | | |
| 100 ft | Non-perforated | 1 | | NA | 100308 | 1,45$ |
| 100 ft | Perforated | 2 | | NA | 100304 | 1,45$ |
| 100 ft | NW polyester white | 2 | 450 | NA | 100313 | 1,83$ |
| **100 mm (4 in)** | | | | | | |
| 246 ft | Non-perforated | 1 | | 68/4 | 100473 | 1,04$ |
| 246 ft | Perforated | 2 | | 68/4 | 100460 | 1,04$ |
| 246 ft | NW polypropylene green | Mega 3 | 250 | 68/4 | 100461 | 1,35$ |
| 246 ft | Woven polyester black | Mega 3 | 450 | 68/4 | 100463 | 1,35$ |
| 246 ft | Woven polyester black | 2 | 450 | 68/4 | 100468 | 1,35$ |
| 147.64 ft | Non-perforated | 1 | | 110/5 | 100455 | 1,04$ |
| 147.64 ft | Perforated | 2 | | 110/5 | 100442 | 1,04$ |
| 147.64 ft | Perforated | Mega 3 | | 110/5 | 100444 | 1,04$ |
| 147.64 ft | NW polypropylene green | Mega 3 | 250 | 110/5 | 100447 | 1,35$ |
| 147.64 ft | Woven polyester black | Mega 3 | 450 | 110/5 | 100445 | 1,35$ |
| 98.43 ft | Non-perforated | 1 | | 135/5 | 100420 | 1,04$ |
| 98.43 ft | Perforated | 2 | | 135/5 | 100406 | 1,04$ |
| 98.43 ft | NW polypropylene green | Mega 3 | 250 | 135/5 | 100417 | 1,35$ |
| 98.43 ft | Woven polyester black | Mega 3 | 450 | 135/5 | 100430 < | 1,35$ |
| 98.43 ft | Woven polyester black | 2 | 450 | 135/5 | 100413 | 1,35$ |
| 49.21 ft | Non-perforated | 1 | | NA/5 | 100400 | 1,15$ |
| 49.21 ft | Perforated | 2 | | NA/5 | 100401 | 1,15$ |
| 49.21 ft | NW polypropylene green | Mega 3 | 250 | NA/5 | 100416 | 1,49$ |
| 49.21 ft | Woven polyester black | Mega 3 | 450 | NA/5 | 100415 < | 1,49$ |
| 9.84 ft | Non-perforated | 1 | | NA/10 | 100404 | 1,15$ |
| 9.84 ft | Perforated | 2 | | NA/10 | 100403 | 1,15$ |
| 9.84 ft | NW polypropylene green | Mega 3 | 250 | NA/10 | 100408 | 1,49$ |
| **150 mm (6 in)** | | | | | | |
| 98.43 ft | Non-perforated | 1 | | 68/4 | 100664 | 2,95$ |
| 98.43 ft | Perforated | 2 | | 68/4 | 100642 | 2,95$ |
| 98.43 ft | NW polypropylene green | Mega 3 | 250 | 68/4 | 100656 | 3,83$ |
| 98.43 ft | Woven polyester black | 2 | 450 | 68/4 | 100654 | 3,83$ |
| **200 mm (8 in)** | | | | | | |
| 19.69 ft | Non-perforated | 1 | | NA | 100828 | 6,22$ |
| 19.69 ft | Perforated | 2 | | NA | 100806 | 6,22$ |
| 19.69 ft | NW polypropylene green | 2 | 250 | NA | 100813 | 7,62$ |
| 98.43 ft | Non-perforated | 1 | | NA | 100830 | 6,22$ |
| 98.43 ft | Perforated | 2 | | NA | 100831 | 6,22$ |
| 98.43 ft | NW polyester black | 2 | 100 | NA | 100832 | 7,62$ |
| 98.43 ft | NW polypropylene green | 2 | 250 | NA | 100833 | 7,62$ |

*** Qty T/B : Estimated quantity per full truck load/bundle.**
**NW : non-woven.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## DRAIN

| Length | Description | Type | Micron | Qty T/B* | Code | Price / Foot |
|---|---|---|---|---|---|---|
| **250 mm (10 in)** | | | | | | |
| 19.69 ft | Non-perforated | 1 | | NA | 101030 | 8,52$ |
| 19.69 ft | Perforated | 2 | | NA | 101006 | 8,52$ |
| 19.69 ft | NW polypropylene green | 2 | 250 | NA | 101015 | 9,91$ |

*** Qty T/B : Estimated quantity per full truck load/bundle.**
**NW : non-woven.**

**In order to guarantee the performance of our filter sheath around the drain on all our small roll sizes, it is the customer's responsibility to ensure an efficient inventory turnover (stock rotation). A rotation three (3) months after the date of receipt is required.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLIFLEX

| Length | Description | Type | Micron | Qty T/B* | Code | Price / Foot |
|---|---|---|---|---|---|---|
| **100 mm (4 in)** | | | | | | |
| 147.64 ft | Non-perforated | 1 | | NA/4 | 120455 | 1,50$ |
| 147.64 ft | Perforated | Type 3 | | NA/4 | 120444 | 1,50$ |
| 147.64 ft | NW polypropylene green | Type 3 | 250 | NA/4 | 120447 | 1,95$ |

**BNQ 3624-115 (Type 1 - Type 3) certified.**

**Conforms to the National building code of Canada.**

**See our brochure at www.soleno.com/en/resource-center/.**

**Fits perfectly with Soleno's standard range of drainage accessories with external connections.**

**Its flexibility allows 90° turns with a tight radius of curvature.**

*** Qty T/B : Estimated quantity per full truck load/bundle.**
**NW : non-woven.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SMOOTH INTERIOR FLEXIBLE CORRUGATED DRAIN

| Length | Description | Qty T/B* | Code | Price / Foot |
|---|---|---|---|---|
| **200 mm (8 in)** | | | | |
| 680 ft | Non-perforated | 6/NA | FLEXCORR08680 | 10,40$ |
| 680 ft | Perforated | 6/NA | FLEXCORR08680 | 10,40$ |
| **250 mm (10 in)** | | | | |
| 570 ft | Non-perforated | 6/NA | FLEXCORR10570 | 13,52$ |
| 570 ft | Perforated | 6/NA | FLEXCORR10570 | 13,52$ |
| **300 mm (12 in)** | | | | |
| 345 ft | Non-perforated | 6/NA | FLEXCORR12345 | 19,09$ |
| 345 ft | Perforated | 6/NA | FLEXCORR12345 | 19,09$ |
| **375 mm (15 in)** | | | | |
| 200 ft | Non-perforated | 6/NA | FLEXCORR15200 | 28,41$ |
| 200 ft | Perforated | 6/NA | FLEXCORR15200 | 28,41$ |

*** Qty T/B : Estimated quantity per full truck load/bundle.**
**NW : non-woven.**

### Split Coupler

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 200 mm (8 in) | NA | 2M200FC | 14,06$ |

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

SOLENO
MASTERING WATER SUSTAINABLY

# DRAIN ACCESSORIES

## Internal Coupler

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/650 | 1M0040 | 4,42$ |
| 150 mm (6 in) | 10/120 | 1M0060N | 8,09$ |
| 200 mm (8 in) | 10/NA | 1M0080 | 14,87$ |

**Model shown**

1M0040

## Double Bell Snap

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/480 | 3MCC004C | 7,35$ |
| 150 mm (6 in) | 5/150 | 3MCC006C | 15,81$ |
| 200 mm (8 in) | NA/180 | 3MCC008C | 22,21$ |
| 250 mm (10 in) | NA/88 | 3MCC010C | 38,18$ |

**Model shown**

3MCC004C

## Split Coupler

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 75 mm (3 in) | NA | 1M0031 | 5,02$ |
| 100 mm (4 in) | 20/3000 | 2M100F | 4,38$ |
| 150 mm (6 in) | 5/640 | 1M0061 | 10,33$ |
| 200 mm (8 in) | 5/315 | 1M0081 | 14,06$ |
| 250 mm (10 in) | 30/NA | 1M1010 | 29,87$ |

**Model shown**

2M100F

## Internal End Cap

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 75 mm (3 in) | NA | 1B0035 | 4,81$ |
| 100 mm (4 in) | 8/1400 | 1B0045 | 4,93$ |
| 150 mm (6 in) | 10/360 | 1B0065 | 8,36$ |

**Model shown**

1B0045

*** Qty B/C : Quantity per bag/crate.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

SOLENO
MASTERING WATER SUSTAINABLY

# DRAIN ACCESSORIES

## External End Cap

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/800 | 2B100CV | 8,90$ |

## 90-Degree Elbow

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 6/144 | 1C0049 | 11,03$ |

## External Reducer

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm x 75 mm (4 in x 3 in) | 10/300 | 1R0043 | 10,13$ |
| 150 mm x 100 mm (6 in x 4 in) | NA/1 | 1R0064 | 11,17$ |
| 200 mm x 150 mm (8 in x 6 in) | NA/1 | 1R0086 | 17,67$ |
| 250 mm x 200 mm (10 in x 8 in) | NA/1 | 1R1008 | 32,32$ |

**Model shown**
1R0064

## Tee

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 75 mm (3 in) | NA | 1T0033 | 18,54$ |
| 250 mm (10 in)** | 3/NA | 1T1010 | 90,34$ |
| 300 mm (12 in)*** | 3/NA | 1T1212 | 150,70$ |

**Model shown**
1T1212

****The riser can reduce from 250mm (10") to 200mm (8") to 150mm (6") to 100mm(4").**

*****The riser can reduce from 300mm (12") to 250mm (10") to 200mm (8").**

*** Qty B/C : Quantity per bag/crate.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## DRAIN ACCESSORIES

### Reducing Tee

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm x 100 mm x 75 mm (4 in x 4 in x 3 in) | 10/100 | 1T0043 | 8,90$ |
| 150 mm x 150 mm x 100 mm (6 in x 6 in x 4 in) | NA/50 | 1T0064 | 23,15$ |
| 200 mm x 150 mm x 100 mm (8 in x 6 in x 4 in) | 5/20 | 1T8864 | 42,70$ |

**Model shown**

1T0064

### Tee-Wye (Y)

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/180 | 1TY044 | 9,81$ |
| 150 mm (6 in) | NA/40 | 1TY066 | 21,99$ |

**Model shown**

1TY044

### Internal Tee

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/NA | 1T044IN < | 9,96$ |

**Is sold only in packs of 10.**

*** Qty B/C : Quantity per bag/crate.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

# DRAIN ACCESSORIES

## Wye (Y) And Wye (Y) Reducer

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 8/80 | 1DY004 | 14,92$ |
| 150 mm (6 in) | 5/NA | 1DY006** | 42,09$ |

****The riser can reduce from 150 mm (6") to 125 mm (5") to 100mm (4").**

| Model shown |
|---|
| 1DY004 |

## Down Spout Adapter

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/780 | 1G004 | 8,75$ |
| 100 mm (4 in) | 10/780 | 1G004N | 8,75$ |
| 100 mm (4 in) | 10/760 | 1G0334N | 8,75$ |

**1G004: 2"x3" white down spout adaptator**
**1G004N: 2"x3" black down spout adaptator**
**1G0334N: 3"x3" black down spout adaptator**

| Model shown |
|---|
| 1G004 |

## Drain Pipe Universal Adapter

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/560 | 1ADRCU04 | 6,25$ |

**Adapts to several types of solid pipe including ABS and terracotta.**

## HDPE Adapter For PVC

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 4/340 | 1ADRC04 | 15,99$ |

*** Qty B/C : Quantity per bag/crate.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## DRAIN ACCESSORIES

### Extensible Tape (White)

| Dimension(s) | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 52 mm x 32.92 m (2 in x 108 ft) | NA/48 | 1ZRUBAW | 17,81$ |

### Extensible Tape (Black)

| Dimension(s) | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 52 mm x 32.92 m (2 in x 108 ft) | NA/48 | 1ZRUBAS | 17,81$ |
| 101.6 mm x 30.48 m (4 in x 100 ft) | NA | 1ZRUBAS4 | 36,63$ |

| Model shown |
|---|
| 1ZRUBAS |

### Grate With Small Holes

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/850 | 1TTG04C | 10,22$ |
| 150 mm (6 in) | 5/325 | 1TTG06C | 14,99$ |

| Model shown |
|---|
| 1TTG04C |

### Plastic Grate Disc

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/150 | 1TTG04D | 2,25$ |



*** Qty B/C : Quantity per bag/crate.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

# DRAIN ACCESSORIES

## Stainless Steel Reinforced Plastic Grate

**Model shown**

1TTG04AG

| Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/850 | 1TTG04AG | 22,99$ |
| 150 mm (6 in) | NA/220 | 1TTG06AG | 31,72$ |
| 200 mm (8 in) | NA/200 | 1TTG08AG | 55,44$ |

## Stainless Steel Fork Grate

**Model shown**

1TTG04AF

| Diameter | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 1 | 1TTG04AF | 46,32$ |
| 150 mm (6 in) | 1 | 1TTG06AF | 54,50$ |
| 200 mm (8 in) | 1 | 1TTG08AF | 92,50$ |
| 250 mm (10 in) | 1 | 1TTG10AF | 112,50$ |
| 300 mm (12 in) | 1 | 1TTG12AF | 122,11$ |
| 375 mm (15 in) | 1 | 1TTG15AF < | 133,29$ |

## Stainless Steel Inside Grate

**Model shown**

1TTG12AI

| Diameter | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 200 mm (8 in) | 1 | 1TTG08AI | 80,56$ |
| 250 mm (10 in) | 1 | 1TTG10AI | 85,88$ |
| 300 mm (12 in) | 1 | 1TTG12AI | 88,67$ |
| 375 mm (15 in) | 1 | 1TTG15AI | 97,01$ |
| 450 mm (18 in) | 1 | 1TTG18AI | 99,79$ |
| 525 mm (21 in) | 1 | 1TTG21AI < | 167,00$ |
| 600 mm (24 in) | 1 | 1TTG24AI < | 169,89$ |
| 750 mm (30 in) | 1 | 1TTG30AI < | 214,27$ |
| 900 mm (36 in) | 1 | 1TTG36AI < | 226,94$ |
| 1050 mm (42 in) | 1 | 1TTG42AI < | 233,50$ |
| 1200 mm (48 in) | 1 | 1TTG48AI < | 269,38$ |
| 1500 mm (60 in) | 1 | 1TTG60AI < | 270,06$ |

*** Qty B/C : Quantity per bag/crate.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

# DRAIN ACCESSORIES

## Aluminium Grate



**Model shown**

1TTG04ALU

| Diameter | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 1 | 1TTG04ALU | 53,34$ |
| 150 mm (6 in) | 1 | 1TTG06ALU | 60,39$ |
| 200 mm (8 in) | 1 | 1TTG08ALU | 90,90$ |
| 250 mm (10 in) | 1 | 1TTG10ALU | 108,81$ |

## Small Hole Vertical Drain (Hickenbottom)

**Model shown**

1VAP04

| Diameter | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 125 mm (5 in) | 1 | 1VAP04 | 96,15$ |
| 150 mm (6 in) | 1 | 1VAP06 | 111,08$ |
| 200 mm (8 in) | 1 | 1VAP08 | 167,19$ |
| 250 mm (10 in) | 1 | 1VAP10 | 249,71$ |

**Perforation of 1/4".**

## Large Hole Vertical Drain (Hickenbottom)

**Model shown**

1VAG04

| Diameter | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 125 mm (5 in) | 1 | 1VAG04 | 96,15$ |
| 150 mm (6 in) | 1 | 1VAG06 | 111,08$ |
| 200 mm (8 in) | 1 | 1VAG08 | 167,19$ |
| 250 mm (10 in) | 1 | 1VAG10 | 249,71$ |

**Perforation of 1".**

# DRAIN ACCESSORIES

## Vertical Drain Tee

| Diameter | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 125 mm (5 in) | 1 | 1VAT04* | 96,15$ |
| 150 mm (6 in) | 1 | 1VAT06 | 111,08$ |
| 200 mm (8 in) | 1 | 1VAT08 | 167,19$ |
| 250 mm (10 in) | 1 | 1VAT10 | 249,71$ |

**Model shown**

1VAT04

**The 125 mm (5 in) vertical drain tee requires two 125 x 100 mm (5 x 4 in) vertical drain reducer.**

## Vertical Drain Reducer

| Diameter | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 125 mm x 100 mm (5 in x 4 in) | 1 | 1VAR06 | 50,48$ |

## Tap Tee

| Diameter | Qty N/C* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 10/560 | 33SL04** | 7,99$ |
| 100 mm (4 in) | 10/560 | 33SL04LONG*** | 8,99$ |

**Model shown**

33SL04

**Model shown**

33SL04LONG

**NEW TAP TEES!**

**Our new injected tap tees 100 mm (4") are now available!**

**** Allows the connection of the 100 mm (4") drain to the 150 mm (6") to 250 mm (10") collectors.**
***** Allows the connection of the 100 mm (4") drain to the 250 mm (10") to 375 mm (15") collectors.**

*** Qty N/C : Quantity per net/crate.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

# DRAIN ACCESSORIES

## Drainage Flag

**Model shown**
860410

| Color | Qty B/C* | Code | Unit Price |
|---|---|---|---|
| Orange | 100/1000 | 860410 | 0,55$ |
| Blue | 100/1000 | 860411 | 0,55$ |
| Lime Green | 100/1000 | 860413 | 0,55$ |
| Pink | 100/1000 | 860412 | 0,55$ |
| White | 100/1000 | 860415 | 0,55$ |

*** Qty B/C : Quantity per bag/crate.**

**All offered in 30 in (standard). Orange flags (code 860416) and lime green flags (code 860417) also offered in 36 in.**

## Drainage Outlet Sign

| Qty/Crate | Code | Unit Price |
|---|---|---|
| 1 | 1PDRABI | 29,26$ |

**9 inches per 10.25 inches format. UV resistant.**

## Galvanized Steel Post



| Qty/Crate | Code | Unit Price |
|---|---|---|
| 1 | PUMINI8 | 48,98$ |

**8-foot (2 438 mm) U-shaped post for drainage outlet sign with 3/8 inche (9.53 mm) holes.**

## Drainage Outlet With Fork Grate



**Model shown**
SD06GF

| Diameter | Qty C/P* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 1/60 | SD04GF | 118,00$ |
| 150 mm (6 in) | 1/28 | SD06GF | 165,00$ |
| 200 mm (8 in) | 1/23 | SD08GF | 212,00$ |
| 250 mm (10 in) | 1/11 | SD10GF | 294,00$ |

**All offered in lenght of 3 m. Includes a fork grate and a double bell coupling.**

*** Qty C/P : Quantity per crate/pack.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

# DRAIN ACCESSORIES

## Non-Return Valve Outlet



| Diameter | Qty C/P* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 1/NA | SD04CA | 301,10$ |
| 150 mm (6 in) | 1/NA | SD06CA | 393,50$ |
| 200 mm (8 in) | 1/NA | SD08CA | 500,31$ |
| 250 mm (10 in) | 1/NA | SD10CA | 663,14$ |

**Model shown**

SD06CA

**All offered in lenght of 3 m. Includes a non-return valve and a double bell coupling.**

## Drainage Outlet With External Round Grid



| Diameter | Qty C/P* | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 1/60 | SD04GR | 120,00$ |
| 150 mm (6 in) | 1/28 | SD06GR | 167,00$ |
| 200 mm (8 in) | 1/23 | SD08GR | 214,00$ |
| 250 mm (10 in) | 1/11 | SD10GR | 296,00$ |

**Model shown**

SD06GR

**All offered in lenght of 3 m. Includes a exterior circular grate and a double bell coupling.**

## Slide Valve



| Diameter | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 100 mm (4 in) | 1 | E0210 | 1440,48$ |
| 150 mm (6 in) | 1 | E0220 | 1585,71$ |
| 200 mm (8 in) | 1 | E0230 | 1728,57$ |

**Model shown**

E0230

**Slide valve 250 mm (10 in) to 600 mm (24 in) also available on request. For a typical installation, contact your sales representative.**

## Water Control Structure

| Diameter | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 150 mm (6 in) | 1 | W1420 | 2492,86$ |
| 200 mm (8 in) | 1 | W1430 | 2880,95$ |
| 250 mm (10 in) | 1 | W1440 | 3683,33$ |
| 300 mm (12 in) | 1 | W1450 | 4045,24$ |
| 450 mm (18 in) | 1 | W1670 | 9369,05$ |

**Model shown**

W1440

**For a typical installation, contact your sales representative.**

*** Qty C/P : Quantity per crate/pack.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## DRAIN ACCESSORIES

### Drainage Access Chimney

| Description | Diameter | Qty B/C* | Code | Unit Price |
|---|---|---|---|---|
| Drainage chimney | 100 mm (4 in) | NA/30 | 830004 | 65,23$ |
| End cap | 100 mm (4 in) | 10/NA | 2B100CG** | 11,14$ |
| Drainage chimney | 150 mm (6 in) | 1 | 830006 | 126,24$ |
| End cap | 150 mm (6 in) | 1 | 2B150CG** | 18,94$ |



**Model shown**
830004



**Model shown**
830006

*** Qty B/C : Quantity per bag/crate.**

**** Two end caps - sold separately - required per chimney (gaskets included).**

**See our brochure on iron ocher at www.soleno.com/en/resource-center/.**

## FLOOR DRAIN AND SUMPWELL CATCH BASIN

### Sump Well

| Dimension(s) | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 500 mm x 600 mm (20 in x 24 in) | 1 | 1UCU025 | 67,50$ |

### Sump Well Cover

| Dimension(s) | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 500 mm (20 in) | 1 | 1UCV025 | 37,36$ |

### Radon Sump Basin

| Dimension(s) | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 450 mm x 550 mm (18 in x 22 in) | 1 | 1UCURADON1822 | 93,38$ |



**See our radon gas mitigation and capture solution brochure at www.soleno.com/en/resource-center/.**

### Radon Sump Basin Cover

| Dimension(s) | Qty/Crate | Code | Unit Price |
|---|---|---|---|
| 450 mm (18 in) | 1 | 1UCVRADON18 | 76,33$ |



## FLOOR DRAIN AND SUMPWELL CATCH BASIN

### Fibro-Drain Floor Drain

| Dimension(s) | Description | Code | Unit Price |
|---|---|---|---|
| 300 mm x 300 mm (12 in x 12 in) | Complete drain (2 pcs) | 1ZD1212 | 67,94$ |
| 300 mm x 300 mm (12 in x 12 in) | Floor drain without cover | 1ZD1212B | 57,97$ |
| 300 mm x 300 mm (12 in x 12 in) | Floor drain cover 1ZD1212B | 1ZD1212C | 40,80$ |
| 355 mm x 405 mm (14 in x 16 in) | Drain (cover not included) | 1ZD1416P | 60,75$ |
| 400 mm x 450 mm (16 in x 18 in) | Plastic cover for 1ZD1416P | 1ZD1618C | 53,36$ |
| 450 mm x 600 mm (18 in x 24 in) | Drain (cover not included) | 1ZD1824P | 86,47$ |
| 485 mm x 635 mm (19 in x 25 in) | Plastic cover for 1ZD1824P | 1ZD1925C | 70,16$ |
| 485 mm x 635 mm (19 in x 25 in) | Steel cover for 1ZD1824P | 1ZD1925CA | 110,09$ |

**Model shown**
1ZD1212

### Fibro-Drain Radon Floor Drain

| Dimension(s) | Description | Code | Unit Price |
|---|---|---|---|
| 495 mm x 641 mm (20 in x 25 in) | Cover for 1ZD2425P | 1ZD1925E | 137,89$ |
| 552 mm x 705 mm (22 in x 28 in) | Drain (cover not included) | 1ZD2425P | 151,69$ |

**Model shown**
1ZD2425P & 1ZD1925E

### Tuf-Tite Floor Drain

| Dimension(s) | Description | Code | Unit Price |
|---|---|---|---|
| 279 mm x 381 mm (11 in x 15 in) | Complete drain (5 pcs) | 1ZD115 | 91,72$ |
| 279 mm x 381 mm (11 in x 15 in) | Floor drain without cover | 1ZD115NG | 62,99$ |
| 279 mm x 381 mm (11 in x 15 in) | Cover for 1ZD115 | 1ZD115C | 48,90$ |
| 100 mm (4 in) | Drain and DR-35 seal (yellow) | 1ZDANJ | 13,06$ |
| 100 mm (4 in) | Plug (orange) | 1ZDBOUO | 13,06$ |



**Model shown**
1ZD115

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO (CORRUGATED INTERIOR AND EXTERIOR)

| Length | Description | Qty* | kPa | Code | Price / Foot |
|---|---|---|---|---|---|
| **100 mm (4 in)** | | | | | |
| 98.43 ft | Non perforated | 5 | R300 | 230442 | 3,01$ |
| 98.43 ft | Perforated | 5 | R300 | 230430 | 3,01$ |
| 98.43 ft | Perforated & filtered (Routex IV) | 5 | R300 | 230433 | 4,02$ |
| **150 mm (6 in)** | | | | | |
| 98.43 ft | Non perforated | 4 | R300 | 230644 | 5,09$ |
| 98.43 ft | Perforated | 4 | R300 | 230640 | 5,09$ |
| 98.43 ft | Perforated & filtered (Routex IV) | 4 | R300 | 230643 | 7,17$ |
| **200 mm (8 in)** | | | | | |
| 98.43 ft | Non perforated | 1 | R300 | 230842 | 8,18$ |
| 98.43 ft | Perforated | 1 | R300 | 230830 | 8,18$ |
| 98.43 ft | Perforated & filtered (Routex IV) | 1 | R300 | 230833 | 10,13$ |
| **300 mm (12 in)** | | | | | |
| 19.69 ft | Non perforated | 1 | R210 | 201224 < | 11,98$ |
| 19.69 ft | Perforated | 1 | R210 | 201220 < | 13,83$ |
| 19.69 ft | Perforated & filtered (Routex IV) | 1 | R210 | 201223 < | 16,60$ |

**A string to facilitate the passage of ovalization template can be inserted into the pipe. Additional charges will apply.**

**Contact our internal sales team for pricing and lead time on non-listed items.**

**Qty* : Quantity per bundle.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO MAX (SMOOTH INTERIOR AND CORRUGATED EXTERIOR) - R210

| Length | Description | kPa | Code | Price / Foot | |
|---|---|---|---|---|---|
| | | | | Plain end | C |
| **300 mm (12 in)** | | | | | |
| 19.69 ft | Non perforated | R210 | 211224 | 13,23$ | 13,92$ |
| 29.53 ft | Non perforated | R210 | 211264 | 13,23$ | |
| 32.81 ft | Non perforated | R210 | 211284 | 13,23$ | |
| 39.37 ft | Non perforated | R210 | 211296 | 13,23$ | |
| 19.69 ft | Perforated | R210 | 211220 < | 15,82$ | 17,28$ |
| 19.69 ft | Perforated & filtered (Routex IV) | R210 | 211223 < | 22,19$ | 23,94$ |
| **375 mm (15 in)** | | | | | |
| 19.69 ft | Non perforated | R210 | 211524 | 22,34$ | 23,32$ |
| 29.53 ft | Non perforated | R210 | 211564 | 22,34$ | |
| 39.37 ft | Non perforated | R210 | 211596 < | 22,34$ | |
| 19.69 ft | Perforated | R210 | 211520 < | 24,83$ | 26,50$ |
| 19.69 ft | Perforated & filtered (Routex IV) | R210 | 211523 < | 30,15$ | 32,77$ |
| **450 mm (18 in)** | | | | | |
| 19.69 ft | Non perforated | R210 | 211824 | 28,19$ | 31,10$ |
| 29.53 ft | Non perforated | R210 | 211864 | 28,19$ | |
| 32.81 ft | Non perforated | R210 | 211884 | 28,19$ | |
| 39.37 ft | Non perforated | R210 | 211896 | 28,19$ | |
| 19.69 ft | Perforated | R210 | 211820 < | 33,50$ | 35,00$ |
| 19.69 ft | Perforated & filtered (Routex IV) | R210 | 211823 < | 40,73$ | 44,01$ |
| **525 mm (21 in)** | | | | | |
| 19.69 ft | Non perforated | R210 | 212124 | 40,85$ | 44,74$ |
| 29.53 ft | Non perforated | R210 | 212164 | 40,85$ | |
| 39.37 ft | Non perforated | R210 | 212196 < | 40,85$ | |
| 19.69 ft | Perforated | R210 | 212120 < | 44,06$ | 48,96$ |
| 19.69 ft | Perforated & filtered (Routex IV) | R210 | 212123 < | 53,73$ | 57,62$ |
| **600 mm (24 in)** | | | | | |
| 19.69 ft | Non perforated | R210 | 212424 | 44,94$ | 54,57$ |
| 29.53 ft | Non perforated | R210 | 212464 | 44,94$ | |
| 32.81 ft | Non perforated | R210 | 212484 < | 44,94$ | |
| 39.37 ft | Non perforated | R210 | 212494 | 44,94$ | |
| 19.69 ft | Perforated | R210 | 212420 < | 55,12$ | 62,01$ |
| 19.69 ft | Perforated & filtered (Routex IV) | R210 | 212423 < | 68,04$ | 77,51$ |
| **750 mm (30 in)** | | | | | |
| 19.69 ft | Non perforated | R210 | 213024 | 72,67$ | 81,73$ |
| 29.53 ft | Non perforated | R210 | 213064 | 72,67$ | |
| 39.37 ft | Non perforated | R210 | 213094 < | 72,67$ | |
| 19.69 ft | Perforated | R210 | 213020 < | 85,11$ | 90,93$ |
| 19.69 ft | Perforated & filtered (Routex IV) | R210 | 213023 < | 105,07$ | 113,67$ |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO MAX (SMOOTH INTERIOR AND CORRUGATED EXTERIOR) - R210

| Length | Description | kPa | Code | Price / Foot | |
|---|---|---|---|---|---|
| | | | | Plain end | C |
| **900 mm (36 in)** | | | | | |
| 19.69 ft | Non perforated | R210 | 213624 | 115,47$ | 128,76$ |
| 29.53 ft | Non perforated | R210 | 213664 | 115,47$ | |
| 39.37 ft | Non perforated | R210 | 213696 < | 115,47$ | |
| 19.69 ft | Perforated | R210 | 213620 < | 132,15$ | 146,32$ |
| 19.69 ft | Perforated & filtered (Routex IV) | R210 | 213623 < | 162,75$ | 182,90$ |

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**

**Identification :**
**For identification purposes, Solflo Max R210 pipes include an orange line.**

**Contact our internal sales team for pricing and lead time on non-listed items.**

## TURBULENCE

| Length | Description | kPa | Code | Price / Foot |
|---|---|---|---|---|
| **450 mm (18 in)** | | | | |
| 19.69 ft | Non perforated | R210 | 251824 < | 29,68$ |
| 29.53 ft | Non perforated | R210 | 251864 < | 29,68$ |
| **600 mm (24 in)** | | | | |
| 19.69 ft | Non perforated | R210 | 252424 < | 51,07$ |
| 29.53 ft | Non perforated | R210 | 252464 < | 51,07$ |
| **750 mm (30 in)** | | | | |
| 19.69 ft | Non perforated | R210 | 253024 < | 68,17$ |
| 29.53 ft | Non perforated | R210 | 253064 < | 68,17$ |



**See our brochure at**
**www.soleno.com/en/resource-center/**

**Our Turbulence line of products is available out of Ste-Madeleine, Quebec only.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO MAX (SMOOTH INTERIOR AND CORRUGATED EXTERIOR) - R320

| Length | Description | kPa | Qty* | Code | Price / Foot C | Price / Foot CGI |
|---|---|---|---|---|---|---|
| **100 mm (4 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 60 | 320404 | | 5,09$ |
| 19.69 ft | Non perforated | R320 | 60 | 320420 | 4,96$ | 5,09$ |
| 19.69 ft | Perforated | R320 | 60 | 320415 | 5,75$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 60 | 320417 | 7,93$ | |
| **150 mm (6 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 28 | 320604 | | 8,84$ |
| 19.69 ft | Non perforated | R320 | 28 | 320620 | 8,46$ | 8,84$ |
| 19.69 ft | Perforated | R320 | 28 | 320615 | 9,72$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 28 | 320617 | 12,03$ | |
| **200 mm (8 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 23 | 320804 | | 14,41$ |
| 19.69 ft | Non perforated | R320 | 23 | 320820 | 13,25$ | 14,41$ |
| 19.69 ft | Perforated | R320 | 23 | 320815 | 15,43$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 23 | 320817 | 18,17$ | |
| **250 mm (10 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 11 | 321004 | | 20,49$ |
| 19.69 ft | Non perforated | R320 | 11 | 321020 | 15,95$ | 20,49$ |
| 19.69 ft | Perforated | R320 | 11 | 321015 | 19,08$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 11 | 321017 | 21,69$ | |

**Legend :**
**C : Soil tight (snap bell)**
**CGI : Water tight**

**Qty* : Quantity per bundle.**

**Identification :**
**For identification purposes, Solflo Max R320 pipes include a blue line.**

**Contact our internal sales team for pricing and lead time on non-listed items.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO MAX (SMOOTH INTERIOR AND CORRUGATED EXTERIOR) - R320

| Length | Description | kPa | Code | Price / Foot | | |
|---|---|---|---|---|---|---|
| | | | | Plain end | C | CGI |
| **300 mm (12 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 321204 | | | 24,08$ |
| 19.69 ft | Non perforated | R320 | 321220 | 18,76$ | 20,51$ | 24,08$ |
| 29.53 ft | Non perforated | R320 | 321260 | 18,76$ | | |
| 19.69 ft | Perforated | R320 | 321215 | | 24,89$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 321217 | | 29,13$ | |
| **375 mm (15 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 321504 | | | 35,41$ |
| 19.69 ft | Non perforated | R320 | 321520 | 30,40$ | 32,32$ | 35,41$ |
| 29.53 ft | Non perforated | R320 | 321560 | 30,40$ | | |
| 19.69 ft | Perforated | R320 | 321515 | | 42,80$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 321517 < | | 45,30$ | |
| **450 mm (18 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 321804 | | | 45,29$ |
| 19.69 ft | Non perforated | R320 | 321820 | 41,44$ | 44,76$ | 45,29$ |
| 29.53 ft | Non perforated | R320 | 321860 | 41,44$ | | |
| 19.69 ft | Perforated | R320 | 321815 < | | 51,95$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 321817 < | | 57,82$ | |
| **525 mm (21 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 322104 | | | 63,09$ |
| 19.69 ft | Non perforated | R320 | 322120 | 51,56$ | 57,90$ | 63,09$ |
| 29.53 ft | Non perforated | R320 | 322160 | 51,56$ | | |
| 19.69 ft | Perforated | R320 | 322115 < | 54,27$ | 70,86$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 322117 < | 67,00$ | 77,12$ | |
| **600 mm (24 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 322404 | | | 87,15$ |
| 19.69 ft | Non perforated | R320 | 322420 | 69,28$ | 76,34$ | 87,15$ |
| 29.53 ft | Non perforated | R320 | 322460 | 69,28$ | | |
| 19.69 ft | Perforated | R320 | 322415 < | 71,68$ | 92,79$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 322417 < | 88,50$ | 100,16$ | |
| **750 mm (30 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 323004 | | | 126,30$ |
| 19.69 ft | Non perforated | R320 | 323020 | 100,32$ | 109,43$ | 126,30$ |
| 29.53 ft | Non perforated | R320 | 323060 | 100,32$ | | |
| 19.69 ft | Perforated | R320 | 323015 < | 105,31$ | 141,46$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 323017 < | 120,14$ | 150,17$ | |
| **900 mm (36 in)** | | | | | | |
| 13.12 ft | Non perforated | R320 | 323604 | | | 182,90$ |
| 19.69 ft | Non perforated | R320 | 323620 | 154,89$ | 167,13$ | 182,90$ |
| 29.53 ft | Non perforated | R320 | 323660 | 154,89$ | | |
| 19.69 ft | Perforated | R320 | 323615 < | 159,77$ | 213,07$ | |
| 19.69 ft | Perforated & filtered (Routex IV) | R320 | 323617 < | 189,50$ | 222,69$ | |

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**

**Identification :**
**For identification purposes, Solflo Max R320 pipes include a blue line.**

**Contact our internal sales team for pricing and lead time on non-listed items.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO MAX (SMOOTH INTERIOR AND CORRUGATED EXTERIOR)

| Length | Description | kPa | Code | Price / Foot Plain end | C | CG/CGI* |
|---|---|---|---|---|---|---|
| **1050 mm (42 in)** | | | | | | |
| 10.83 ft | Non perforated | R140 | 324225 | | | 195,95$ |
| 10.83 ft | Perforated | R140 | 324235 < | | | 254,10$ |
| 10.83 ft | Perforated & filtered (Routex IV) | R140 | 324237 < | | | 279,50$ |
| **1200 mm (48 in)** | | | | | | |
| 13.12 ft | Non perforated | R125 | 324804 | | | 204,46$ |
| 19.69 ft | Non perforated | R125 | 324820 | 193,10$ | 198,74 | 204,46$ |
| 29.53 ft | Non perforated | R125 | 324860 | 193,10$ | | |
| **1500 mm (60 in)**** | | | | | | |
| 19.69 ft | Non perforated | R105 | 216024 < | | | On request |

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CG or CGI : Water tight**

**Identification :**
**For identification purposes, Solflo Max pipes of 1 050 mm (42 po) and 1 200 mm (48 po) include a white line.**

**Contact our internal sales team for pricing and lead time on non-listed items.**

*** Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

**** Solflo Max pipes of 1 500 mm (60 in) are available in St-Louis-de-Blandford, Quebec only.**

## TRIPLEFLO

| Length | Description | Code | Price / Foot Plain end | C |
|---|---|---|---|---|
| **100 mm (4 in)** | | | | |
| 10 ft | Non perforated | 3P04X10 | 2,19$ | 2,30$ |
| 10 ft | Perforated | 3P04X10-4.8 | 2,19$ | 2,30$ |

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Split Coupler

| Diameter | Qty C/S* | Code | Unit Price |
|---|---|---|---|
| 300 mm (12 in) | NA/160 | 2M300F | 31,07$ |
| 375 mm (15 in) | NA/120 | 2M375F | 43,21$ |
| 450 mm (18 in) | NA/60 | 2M450F | 54,05$ |
| 525 mm (21 in) | NA/30 | 2M525F | 109,75$ |
| 600 mm (24 in) | NA/30 | 2M600F | 111,89$ |
| 750 mm (30 in) | NA/60 | 2M750F** | 178,73$ |
| 900 mm (36 in) | NA/60 | 2M900F** | 201,07$ |
| 1200 mm (48 in) | NA | 2M1200F*** < | 510,93$ |

**Model shown**

2M300F

*** Qty C/P : Quantity per crate/skid.**

**** The Solflo and Solflo Max Split Coupler may be sell in one or two pieces. This change may apply without notice and does not affect, in any case, the properties of the product.**
***** Two piece split coupling.**

### Clamp Coupling

| Diameter | Code | Unit Price |
|---|---|---|
| 1050 mm (42 in) | 2M1050ROLLC < | 474,38$ |
| 1200 mm (48 in) | 2M1200ROLLC < | 536,20$ |
| 1500 mm (60 in) | 2M1500ROLLC < | 906,66$ |

**Flexible connection that allows a tight assembly between Solflo Max pipes with plain tip.**

**Model shown**

2M1200ROLLC

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Repair Coupling



| Diameter | Code | Unit Price |
|---|---|---|
| 250 mm (10 in) | 33MR10 | 215,61$ |
| 300 mm (12 in) | 33MR12 | 266,43$ |
| 375 mm (15 in) | 33MR15 | 337,89$ |
| 450 mm (18 in) | 33MR18 | 370,39$ |
| 525 mm (21 in) | 33MR21 | 500,36$ |
| 600 mm (24 in) | 33MR24 | 662,80$ |
| 750 mm (30 in) | 33MR30 < | 828,49$ |
| 900 mm (36 in) | 33MR36 < | 994,20$ |

**Model shown**

33MR12

**Two gaskets included per repair coupling. Two couplings needed to repair.**

### MarMac PolySeal Coupler

| Diameter | Code | Unit Price |
|---|---|---|
| 300 mm (12 in) | MM01209054 | 154,97$ |
| 375 mm (15 in) | MM01510066 | 163,92$ |
| 450 mm (18 in) | MM01810076 | 218,60$ |
| 600 mm (24 in) | MM02414098 | 273,09$ |
| 750 mm (30 in) | MM03015118 | 343,22$ |
| 900 mm (36 in) | MM03615139 | 401,55$ |
| 1050 mm (42 in) | MM04220159 | 447,18$ |
| 1200 mm (48 in) | MM04820181 | 494,91$ |
| 1500 mm (60 in) | MM06020181 | 1455,55$ |

**Model shown**

MM01510066

### MarMac Clamping Tool

| Code | Unit Price |
|---|---|
| MMTLTNS < | 612,67$ |

**MarMac clampling tools are available for purchase at the price indicated above. They are also available for rental. In this case, 80% of the purchase price will be credited if returned in the same condition as received.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Double Bell

| Diameter | Code | Unit Price C | Unit Price GI |
|---|---|---|---|
| 100 mm (4 in) | 3MCC004 | 7,35$ | 19,00$ |
| 150 mm (6 in) | 3MCC006 | 15,81$ | 38,18$ |
| 200 mm (8 in) | 3MCC008 | 22,21$ | 54,14$ |
| 250 mm (10 in) | 3MCC010 | 38,18$ | 89,28$ |
| 300 mm (12 in) | 3MCC012 | 41,41$ | 100,72$ |
| 375 mm (15 in) | 3MCC015 | 164,03$ | 266,43$ |
| 450 mm (18 in) | 3MCC018 | 205,36$ | 312,87$ |
| 525 mm (21 in) | 3MCC021 | 260,72$ | 397,83$ |
| 600 mm (24 in) | 3MCC024 | 428,22$ | 628,55$ |
| 750 mm (30 in) | 3MCC030 | 601,93$ | 791,39$ |
| 900 mm (36 in) | 3MCC036 < | 793,96$ | 1040,99$ |

**Legend :**
**C : Soil tight (snap bell)**
**GI : Water tight**

**Model shown**
3MCC004C

**Model shown**
3MCC004GI

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### End Cap

| Diameter | Code | C | CV | CG | CGI | M/F | PLA | COL |
|---|---|---|---|---|---|---|---|---|
| 100 mm (4 in) | 2B100 | | 8,90$ | 11,14$ | | | | |
| 150 mm (6 in) | 2B150 | 15,81$ | | 18,94$ | | | | |
| 200 mm (8 in) | 2B200 | 25,36$ | | 35,32$ | | | | |
| 250 mm (10 in) | 2B250 | 38,18$ | | 54,00$ | | | | |
| 300 mm (12 in) | 2B300 | 40,02$ | | 65,06$ | | | | |
| 375 mm (15 in) | 2B375[1] | 41,78$ | | | | | | |
| 450 mm (18 in) | 2B450[1] | 54,07$ | | | | | | |
| 525 mm (21 in) | 2B525[1] | 105,12$ | | | | | | |
| 600 mm (24 in) | 2B600[1] | 159,33$ | | | | | | |
| 750 mm (30 in) | 2B750[1] | 352,03$ | | | | | | |
| 900 mm (36 in) | 2B900[1] | 457,02$ | | | | | 353,41$ | |
| 1050 mm (42 in) | 2B1050 < | | | | | 1824,04$ | 1092,84$ | 2394,08$ |
| 1200 mm (48 in) | 2B1200 < | 1831,34$ | | | 2091,00$ | | 1429,68$ | 2559,96$ |
| 1500 mm (60 in) | 2B1500 < | | | | | 3590,88$ | 1802,62$ | 2626,91$ |



**Model shown**

2B900C



**Model shown**

2B1050M

**Installed on the female end of the pipe.**



**Model shown**

2B1050PLA

**Economical, plate that fits all models.**

**Model shown**

2B1050COL

**Female cap, installed on the big ripple of the pipe.**

**Legend :**
**C/CV : Soil tight (snap bell)**
**CG/CGI : Water tight**
**M/F : Coupling male or female**
**PLA : Coupling with plate**
**COL : Clamp coupling**

**Qty B/C/P:**
**2B100CV : 10/800/NA**
**2B100CG : 10/900/NA**
**2B150C : 5/325/NA**
**2B200C : NA/NA/360**
**2B250C : NA/NA/120**

**For plate end caps, fixings are not included.**
**[1]To obtain a more watertight end cap, it is possible to add a gasket as shown in the next section.**



**Model shown**

2B900C + MPGO36WS

*** Qty B/C/P : Quantity per bag/crate/skid.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### O-Ring Gasket (HDPE to HDPE)

**Model shown**
MPGO04

| Diameter | Code | Unit Price |
|---|---|---|
| 100 mm (4 in) | MPGO04 | 2,24$ |
| 150 mm (6 in) | MPGO06 | 3,13$ |
| 200 mm (8 in) | MPGO08 | 9,96$ |
| 250 mm (10 in) | MPGO10 | 15,82$ |
| 300 mm (12 in) | MPGO12 | 25,04$ |
| 375 mm (15 in) | MPGO15 | 38,30$ |
| 450 mm (18 in) | MPGO18 | 52,06$ |
| 525 mm (21 in) | MPGO21W | 105,33$ |
| 600 mm (24 in) | MPGO24WS | 107,05$ |
| 750 mm (30 in) | MPGO30WS | 118,93$ |
| 900 mm (36 in) | MPGO36WS | 144,81$ |
| 1050 mm (42 in) | MPGO42WSP | 147,52$ |
| 1200 mm (48 in) | MPGO48WS | 152,25$ |
| 1500 mm (60 in) | MPGO60 < | 167,48$ |

**Gasket used to seal a joint between two Solflo Max pipes.**

### PVC Transition O-Ring Gasket (HDPE to PVC)

**Model shown**
MPGT08

| Diameter | Code | Unit Price |
|---|---|---|
| 100 mm (4 in) | MPGT04 | 9,91$ |
| 150 mm (6 in) | MPGT06 | 12,59$ |
| 200 mm (8 in) | MPGT08 | 17,01$ |
| 250 mm (10 in) | MPGT10 | 27,81$ |

**Gasket used to seal the transition from a PVC pipe to a Solflo Max pipe (female end).**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### 22.5 Degree Elbow

| Diameter | Code | Unit Price | | |
|---|---|---|---|---|
| | | Plain end | C | CGI |
| 100 mm (4 in) | 33C2204 | 20,41$ | 35,12$ | 49,83$ |
| 150 mm (6 in) | 33C2206 | 32,88$ | 60,87$ | 88,85$ |
| 200 mm (8 in) | 33C2208 | 49,70$ | 87,22$ | 124,74$ |
| 250 mm (10 in) | 33C2210 | 73,88$ | 138,06$ | 202,24$ |
| 300 mm (12 in) | 33C2212 | 117,67$ | 183,10$ | 248,51$ |
| 375 mm (15 in) | 33C2215 < | 174,70$ | 273,46$ | 372,23$ |
| 450 mm (18 in) | 33C2218 < | 276,38$ | 378,65$ | 481,03$ |
| 525 mm (21 in) | 33C2221 < | 290,88$ | 451,38$ | 611,89$ |
| 600 mm (24 in) | 33C2224 < | 396,00$ | 766,59$ | 1137,19$ |
| 750 mm (30 in) | 33C2230 < | 636,74$ | 1090,04$ | 1543,33$ |
| 900 mm (36 in) | 33C2236 < | 902,53$ | 1422,36$ | 1942,19$ |
| 1050 mm (42 in) | 33C2242 < | 2610,70$ | | 4450,79$ |
| 1200 mm (48 in) | 33C2248 < | 2871,07$ | 4595,65$ | 4810,41$ |



**Model shown**
33C2212

**Model shown**
33C2212C

**Model shown**
33C2212CGI

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### 45 Degree Elbow

| | | Unit Price | | |
|---|---|---|---|---|
| Diameter | Code | Plain end | C | CGI |
| 100 mm (4 in) | 33C4504 | 20,41$ | 35,12$ | 49,83$ |
| 150 mm (6 in) | 33C4506 | 32,88$ | 60,87$ | 88,85$ |
| 200 mm (8 in) | 33C4508 | 49,70$ | 87,22$ | 124,74$ |
| 250 mm (10 in) | 33C4510 | 73,88$ | 138,06$ | 202,24$ |
| 300 mm (12 in) | 33C4512 | 117,67$ | 183,10$ | 248,51$ |
| 375 mm (15 in) | 33C4515 < | 174,70$ | 273,46$ | 372,23$ |
| 450 mm (18 in) | 33C4518 < | 276,38$ | 378,65$ | 481,03$ |
| 525 mm (21 in) | 33C4521 < | 290,88$ | 451,38$ | 611,89$ |
| 600 mm (24 in) | 33C4524 < | 396,00$ | 766,59$ | 1137,19$ |
| 750 mm (30 in) | 33C4530 < | 636,74$ | 1090,04$ | 1543,33$ |
| 900 mm (36 in) | 33C4536 < | 902,53$ | 1422,36$ | 1942,19$ |
| 1050 mm (42 in) | 33C4542 < | 3586,60$ | | 5333,74$ |
| 1200 mm (48 in) | 33C4548 < | 3706,83$ | 5570,74$ | 5758,68$ |

**Model shown**
33C4512

**Model shown**
33C4512C

**Model shown**
33C4512CGI

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### 90 Degree Elbow

| Diameter | Code | Unit Price | | |
|---|---|---|---|---|
| | | Plain end | C | CGI |
| 100 mm (4 in) | 33C9004 | 20,41$ | 35,12$ | 49,83$ |
| 150 mm (6 in) | 33C9006 | 32,88$ | 60,87$ | 88,85$ |
| 200 mm (8 in) | 33C9008 | 49,70$ | 87,22$ | 124,74$ |
| 250 mm (10 in) | 33C9010 | 73,88$ | 138,06$ | 202,24$ |
| 300 mm (12 in) | 33C9012 | 117,67$ | 183,10$ | 248,51$ |
| 375 mm (15 in) | 33C9015 < | 174,70$ | 273,46$ | 372,23$ |
| 450 mm (18 in) | 33C9018 < | 276,38$ | 378,65$ | 481,03$ |
| 525 mm (21 in) | 33C9021 < | 290,88$ | 451,38$ | 611,89$ |
| 600 mm (24 in) | 33C9024 < | 396,00$ | 766,59$ | 1137,19$ |
| 750 mm (30 in) | 33C9030 < | 636,74$ | 1090,04$ | 1543,33$ |
| 900 mm (36 in) | 33C9036 < | 902,53$ | 1422,36$ | 1942,19$ |
| 1050 mm (42 in) | 33C9042 < | 2922,34$ | | 4914,15$ |
| 1200 mm (48 in) | 33C9048 < | 3289,17$ | 5078,71$ | 5483,56$ |

**Model shown**
33C9012

**Model shown**
33C9012C

**Model shown**
33C9012CGI

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## 90 Degree Elbow - 3 Sections

| Diameter | Code | Unit Price | | |
|---|---|---|---|---|
| | | Plain end | C | CGI |
| 100 mm (4 in) | 33SC9004 < | 37,47$ | 57,59$ | 84,29$ |
| 150 mm (6 in) | 33SC9006 < | 76,44$ | 153,45$ | 220,05$ |
| 200 mm (8 in) | 33SC9008 < | 119,80$ | 173,71$ | 268,36$ |
| 250 mm (10 in) | 33SC9010 < | 122,77$ | 178,38$ | 275,44$ |
| 300 mm (12 in) | 33SC9012 < | 295,37$ | 437,04$ | 621,65$ |
| 375 mm (15 in) | 33SC9015 < | 401,76$ | 594,60$ | 682,99$ |
| 450 mm (18 in) | 33SC9018 < | 472,96$ | 599,32$ | 724,15$ |
| 525 mm (21 in) | 33SC9021 < | 498,66$ | 705,22$ | 798,90$ |
| 600 mm (24 in) | 33SC9024 < | 615,10$ | 1212,97$ | 1470,41$ |
| 750 mm (30 in) | 33SC9030 < | 976,69$ | 1779,56$ | 2022,97$ |
| 900 mm (36 in) | 33SC9036 < | 1422,67$ | 2296,40$ | 2627,09$ |
| 1050 mm (42 in) | 33SC9042 < | 3608,02$ | | 5905,53$ |
| 1200 mm (48 in) | 33SC9048 < | 4536,29$ | 6130,87$ | 6275,64$ |

**Model shown**
33SC9012

**Model shown**
33SC9012C

**Model shown**
33SC9012CGI

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Cross

| Diameter | Code | Unit Price | | | |
|---|---|---|---|---|---|
| | | Plain end | C | CGI | CGPF |
| 100 mm (4 in) | 33X0404 < | 108,55$ | 112,47$ | 138,51$ | 146,15$ |
| 150 mm (6 in) | 33X0606 < | 132,78$ | 170,51$ | 211,74$ | 273,40$ |
| 200 mm (8 in) | 33X0808 < | 161,55$ | 201,59$ | 318,70$ | 335,49$ |
| 250 mm (10 in) | 33X1010 < | 202,86$ | 294,88$ | 455,96$ | 479,97$ |
| 300 mm (12 in) | 33X1212 < | 360,16$ | 449,60$ | 620,91$ | |
| 375 mm (15 in) | 33X1515 < | 656,26$ | 745,13$ | 952,16$ | |
| 450 mm (18 in) | 33X1818 < | 925,77$ | 1031,56$ | 1246,48$ | |
| 525 mm (21 in) | 33X2121 < | 1071,72$ | 1382,76$ | 1570,07$ | |
| 600 mm (24 in) | 33X2424 < | 1182,12$ | 2377,84$ | 2892,70$ | |
| 750 mm (30 in) | 33X3030 < | 1953,37$ | 3559,13$ | 4045,94$ | |
| 900 mm (36 in) | 33X3636 < | 2844,81$ | 4826,74$ | 5254,75$ | |
| 1050 mm (42 in) | 33X4242 < | 7648,99$ | | 9649,33$ | |
| 1200 mm (48 in) | 33X4848 < | 8456,02$ | 9706,22$ | 10355,27$ | |

**Model shown**
33X1212

**Model shown**
33X1212C

**Model shown**
33X1212CGI



**Model shown**
33X0606CGPF

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**
**CGPF : Water tight PVC female**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Cross-Reducer

| Diameter | Code | Unit Price | | | |
|---|---|---|---|---|---|
| | | Plain end | C | CGI | CGPF |
| 150 mm x 100 mm (6 in x 4 in) | 33X0604 < | 125,22$ | 152,71$ | 189,02$ | 198,97$ |
| 200 mm x 100 mm (8 in x 4 in) | 33X0804 < | 133,08$ | 170,90$ | 231,55$ | 243,73$ |
| 200 mm x 150 mm (8 in x 6 in) | 33X0806 < | 137,20$ | 174,18$ | 264,34$ | 278,22$ |
| 250 mm x 100 mm (10 in x 4 in) | 33X1004 < | 169,81$ | 193,36$ | 286,90$ | 301,99$ |
| 250 mm x 150 mm (10 in x 6 in) | 33X1006 < | 188,72$ | 213,29$ | 325,45$ | 342,58$ |
| 250 mm x 200 mm (10 in x 8 in) | 33X1008 < | 196,01$ | 242,30$ | 381,39$ | 401,48$ |
| 300 mm x 100 mm (12 in x 4 in) | 33X1204 < | 265,18$ | 304,57$ | 412,56$ | |
| 300 mm x 150 mm (12 in x 6 in) | 33X1206 < | 293,44$ | 367,31$ | 451,07$ | 475,01$ |
| 300 mm x 200 mm (12 in x 8 in) | 33X1208 < | 326,49$ | 398,07$ | 512,16$ | 539,11$ |
| 300 mm x 250 mm (12 in x 10 in) | 33X1210 < | 356,38$ | 406,16$ | 581,64$ | 612,29$ |
| 375 mm x 100 mm (15 in x 4 in) | 33X1504 < | 301,32$ | 397,97$ | 523,98$ | 551,58$ |
| 375 mm x 150 mm (15 in x 6 in) | 33X1506 < | 346,52$ | 435,67$ | 570,80$ | |
| 375 mm x 200 mm (15 in x 8 in) | 33X1508 < | 398,50$ | 468,40$ | 630,50$ | |
| 375 mm x 250 mm (15 in x 10 in) | 33X1510 < | 446,32$ | 517,86$ | 701,95$ | |
| 375 mm x 300 mm (15 in x 12 in) | 33X1512 < | 499,87$ | 587,02$ | 785,51$ | |
| 450 mm x 100 mm (18 in x 4 in) | 33X1804 < | 396,63$ | 591,35$ | 796,93$ | |
| 450 mm x 150 mm (18 in x 6 in) | 33X1806 < | 456,12$ | 615,00$ | 820,84$ | |
| 450 mm x 200 mm (18 in x 8 in) | 33X1808 < | 524,54$ | 642,12$ | 845,05$ | |
| 450 mm x 250 mm (18 in x 10 in) | 33X1810 < | 587,49$ | 675,61$ | 871,59$ | |
| 450 mm x 300 mm (18 in x 12 in) | 33X1812 < | 657,99$ | 756,69$ | 981,61$ | |
| 450 mm x 375 mm (18 in x 15 in) | 33X1815 < | 791,02$ | 901,76$ | 1013,73$ | |
| 525 mm x 100 mm (21 in x 4 in) | 33X2104 < | 444,78$ | 689,93$ | 923,14$ | |
| 525 mm x 150 mm (21 in x 6 in) | 33X2106 < | 502,60$ | 710,63$ | 932,37$ | |
| 525 mm x 200 mm (21 in x 8 in) | 33X2108 < | 567,94$ | 746,16$ | 960,35$ | |
| 525 mm x 250 mm (21 in x 10 in) | 33X2110 < | 641,77$ | 753,17$ | 998,76$ | |
| 525 mm x 300 mm (21 in x 12 in) | 33X2112 < | 725,20$ | 829,24$ | 1017,87$ | |
| 525 mm x 375 mm (21 in x 15 in) | 33X2115 < | 819,48$ | 942,40$ | 1075,29$ | |
| 525 mm x 450 mm (21 in x 18 in) | 33X2118 < | 948,92$ | 1260,17$ | 1512,21$ | |
| 600 mm x 100 mm (24 in x 4 in) | 33X2404 < | 462,43$ | 805,01$ | 1151,36$ | |
| 600 mm x 150 mm (24 in x 6 in) | 33X2406 < | 531,79$ | 829,16$ | 1266,50$ | |
| 600 mm x 200 mm (24 in x 8 in) | 33X2408 < | 611,56$ | 1192,77$ | 1508,76$ | |
| 600 mm x 250 mm (24 in x 10 in) | 33X2410 < | 684,95$ | 1229,65$ | 1555,42$ | |
| 600 mm x 300 mm (24 in x 12 in) | 33X2412 < | 767,15$ | 1357,05$ | 1709,47$ | |
| 600 mm x 375 mm (24 in x 15 in) | 33X2415 < | 859,20$ | 1415,90$ | 1776,88$ | |
| 600 mm x 450 mm (24 in x 18 in) | 33X2418 < | 972,06$ | 1488,79$ | 1853,68$ | |
| 600 mm x 525 mm (24 in x 21 in) | 33X2421 < | 1125,30$ | 1750,17$ | 2101,27$ | |
| 750 mm x 100 mm (30 in x 4 in) | 33X3004 < | 621,71$ | 1074,48$ | 1430,33$ | |
| 750 mm x 150 mm (30 in x 6 in) | 33X3006 < | 640,36$ | 1106,71$ | 1487,55$ | |
| 750 mm x 200 mm (30 in x 8 in) | 33X3008 < | 672,38$ | 1217,38$ | 1561,92$ | |
| 750 mm x 250 mm (30 in x 10 in) | 33X3010 < | 706,00$ | 1278,25$ | 1640,02$ | |
| 750 mm x 300 mm (30 in x 12 in) | 33X3012 < | 811,90$ | 1791,66$ | 2131,29$ | |
| 750 mm x 375 mm (30 in x 15 in) | 33X3015 < | 885,21$ | 1852,04$ | 2198,99$ | |
| 750 mm x 450 mm (30 in x 18 in) | 33X3018 < | 1017,99$ | 1973,22$ | 2324,08$ | |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Cross-Reducer

| Diameter | Code | Unit Price | | | |
|---|---|---|---|---|---|
| | | Plain end | C | CGI | CGPF |
| 750 mm x 525 mm (30 in x 21 in) | 33X3021 < | 1170,69$ | 2238,35$ | 2575,41$ | |
| 750 mm x 600 mm (30 in x 24 in) | 33X3024 < | 1267,35$ | 2544,18$ | 3045,05$ | |
| 900 mm x 100 mm (36 in x 4 in) | 33X3604 < | 983,39$ | 1467,83$ | 1854,11$ | |
| 900 mm x 150 mm (36 in x 6 in) | 33X3606 < | 993,22$ | 1511,86$ | 1909,74$ | |
| 900 mm x 200 mm (36 in x 8 in) | 33X3608 < | 1023,02$ | 1557,22$ | 1967,03$ | |
| 900 mm x 250 mm (36 in x 10 in) | 33X3610 < | 1053,71$ | 1603,94$ | 2026,04$ | |
| 900 mm x 300 mm (36 in x 12 in) | 33X3612 < | 1127,47$ | 1844,53$ | 2228,64$ | |
| 900 mm x 375 mm (36 in x 15 in) | 33X3615 < | 1206,39$ | 2214,30$ | 2648,52$ | |
| 900 mm x 450 mm (36 in x 18 in) | 33X3618 < | 1290,84$ | 2321,90$ | 2760,02$ | |
| 900 mm x 525 mm (36 in x 21 in) | 33X3621 < | 1274,59$ | 2608,43$ | 3032,77$ | |
| 900 mm x 600 mm (36 in x 24 in) | 33X3624 < | 1454,08$ | 2926,46$ | 3514,58$ | |
| 900 mm x 750 mm (36 in x 30 in) | 33X3630 < | 2051,04$ | 3737,09$ | 4248,24$ | |
| 1200 mm x 100 mm (48 in x 4 in) | 33X4804 < | 1532,24$ | 3157,02$ | 4192,97$ | |
| 1200 mm x 150 mm (48 in x 6 in) | 33X4806 < | 1641,96$ | 3270,16$ | 4315,89$ | |
| 1200 mm x 200 mm (48 in x 8 in) | 33X4808 < | 1645,19$ | 3294,71$ | 4361,30$ | |
| 1200 mm x 250 mm (48 in x 10 in) | 33X4810 < | 1762,79$ | 3437,73$ | 4501,71$ | |
| 1200 mm x 300 mm (48 in x 12 in) | 33X4812 < | 1915,61$ | 3690,87$ | 4785,04$ | |
| 1200 mm x 375 mm (48 in x 15 in) | 33X4815 < | 2041,29$ | 3886,58$ | 4984,01$ | |
| 1200 mm x 450 mm (48 in x 18 in) | 33X4818 < | 2059,79$ | 3962,08$ | 5069,18$ | |
| 1200 mm x 525 mm (48 in x 21 in) | 33X4821 < | 2795,01$ | 4426,62$ | 5362,90$ | |
| 1200 mm x 600 mm (48 in x 24 in) | 33X4824 < | 3065,18$ | 4707,92$ | 6018,48$ | |
| 1200 mm x 750 mm (48 in x 30 in) | 33X4830 < | 3391,17$ | 5255,35$ | 6526,53$ | |
| 1200 mm x 900 mm (48 in x 36 in) | 33X4836 < | 3789,71$ | 6897,78$ | 7085,51$ | |

**Model shown**
33X1206

**Model shown**
33X1206C

**Model shown**
33X1206CGI

**Model shown**
33X1206CGPF

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**
**CGPF : Water tight PVC female**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

**Contact our internal sales team for pricing and lead time on non-listed items.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Reducer

| Diameter | Code | Unit Price | | |
|---|---|---|---|---|
| | | Plain end | C | CGI |
| 150 mm x 100 mm (6 in x 4 in) | 33RED0604 < | 73,25$ | 79,34$ | 83,31$ |
| 200 mm x 100 mm (8 in x 4 in) | 33RED0804 < | 75,43$ | 90,02$ | 94,52$ |
| 200 mm x 150 mm (8 in x 6 in) | 33RED0806 < | 78,76$ | 99,51$ | 104,49$ |
| 250 mm x 100 mm (10 in x 4 in) | 33RED1004 < | 82,83$ | 109,39$ | 114,86$ |
| 250 mm x 150 mm (10 in x 6 in) | 33RED1006 < | 87,76$ | 120,71$ | 126,75$ |
| 250 mm x 200 mm (10 in x 8 in) | 33RED1008 < | 92,20$ | 128,71$ | 135,15$ |
| 300 mm x 100 mm (12 in x 4 in) | 33RED1204 < | 127,48$ | 140,45$ | 147,47$ |
| 300 mm x 150 mm (12 in x 6 in) | 33RED1206 < | 136,01$ | 186,16$ | 195,47$ |
| 300 mm x 200 mm (12 in x 8 in) | 33RED1208 < | 139,59$ | 197,53$ | 207,41$ |
| 300 mm x 250 mm (12 in x 10 in) | 33RED1210 < | 144,39$ | 230,68$ | 242,21$ |
| 375 mm x 100 mm (15 in x 4 in) | 33RED1504 < | 158,78$ | 223,95$ | 235,15$ |
| 375 mm x 150 mm (15 in x 6 in) | 33RED1506 < | 166,15$ | 238,64$ | 250,57$ |
| 375 mm x 200 mm (15 in x 8 in) | 33RED1508 < | 176,31$ | 274,35$ | 288,07$ |
| 375 mm x 250 mm (15 in x 10 in) | 33RED1510 < | 189,05$ | 320,73$ | 336,77$ |
| 375 mm x 300 mm (15 in x 12 in) | 33RED1512 < | 194,13$ | 333,76$ | 350,45$ |
| 450 mm x 100 mm (18 in x 4 in) | 33RED1804 < | 204,32$ | 259,34$ | 272,31$ |
| 450 mm x 150 mm (18 in x 6 in) | 33RED1806 < | 219,59$ | 282,26$ | 296,37$ |
| 450 mm x 200 mm (18 in x 8 in) | 33RED1808 < | 234,87$ | 307,69$ | 323,07$ |
| 450 mm x 250 mm (18 in x 10 in) | 33RED1810 < | 242,27$ | 333,29$ | 349,95$ |
| 450 mm x 300 mm (18 in x 12 in) | 33RED1812 < | 260,20$ | 369,39$ | 387,86$ |
| 450 mm x 375 mm (18 in x 15 in) | 33RED1815 < | 346,57$ | 430,12$ | 451,63$ |
| 525 mm x 100 mm (21 in x 4 in) | 33RED2104 < | 321,87$ | 448,59$ | 471,02$ |
| 525 mm x 150 mm (21 in x 6 in) | 33RED2106 < | 334,59$ | 490,16$ | 514,67$ |
| 525 mm x 200 mm (21 in x 8 in) | 33RED2108 < | 350,13$ | 540,31$ | 567,33$ |
| 525 mm x 250 mm (21 in x 10 in) | 33RED2110 < | 365,38$ | 584,92$ | 614,17$ |
| 525 mm x 300 mm (21 in x 12 in) | 33RED2112 < | 374,81$ | 641,93$ | 674,03$ |
| 525 mm x 375 mm (21 in x 15 in) | 33RED2115 < | 389,17$ | 679,27$ | 713,23$ |
| 525 mm x 450 mm (21 in x 18 in) | 33RED2118 < | 403,22$ | 737,20$ | 774,06$ |
| 600 mm x 100 mm (24 in x 4 in) | 33RED2404 < | 283,21$ | 532,07$ | 558,67$ |
| 600 mm x 150 mm (24 in x 6 in) | 33RED2406 < | 318,69$ | 586,73$ | 616,07$ |
| 600 mm x 200 mm (24 in x 8 in) | 33RED2408 < | 337,41$ | 634,82$ | 666,56$ |
| 600 mm x 250 mm (24 in x 10 in) | 33RED2410 < | 359,54$ | 679,76$ | 713,75$ |
| 600 mm x 300 mm (24 in x 12 in) | 33RED2412 < | 385,85$ | 727,20$ | 763,56$ |
| 600 mm x 375 mm (24 in x 15 in) | 33RED2415 < | 405,32$ | 788,35$ | 827,77$ |
| 600 mm x 450 mm (24 in x 18 in) | 33RED2418 < | 434,85$ | 853,04$ | 895,69$ |
| 600 mm x 525 mm (24 in x 21 in) | 33RED2421 < | 456,59$ | 895,69$ | 940,48$ |
| 750 mm x 100 mm (30 in x 4 in) | 33RED3004 < | 414,74$ | 1261,32$ | 1324,39$ |
| 750 mm x 150 mm (30 in x 6 in) | 33RED3006 < | 467,19$ | 1321,39$ | 1387,46$ |
| 750 mm x 200 mm (30 in x 8 in) | 33RED3008 < | 512,97$ | 1379,48$ | 1448,45$ |
| 750 mm x 250 mm (30 in x 10 in) | 33RED3010 < | 576,61$ | 1409,08$ | 1479,53$ |
| 750 mm x 300 mm (30 in x 12 in) | 33RED3012 < | 621,62$ | 1464,47$ | 1537,69$ |
| 750 mm x 375 mm (30 in x 15 in) | 33RED3015 < | 675,09$ | 1515,41$ | 1591,18$ |
| 750 mm x 450 mm (30 in x 18 in) | 33RED3018 < | 713,16$ | 1568,52$ | 1646,95$ |
| 750 mm x 525 mm (30 in x 21 in) | 33RED3021 < | 739,19$ | 1592,98$ | 1672,63$ |
| 750 mm x 600 mm (30 in x 24 in) | 33RED3024 < | 765,22$ | 1617,44$ | 1698,31$ |
| 900 mm x 100 mm (36 in x 4 in) | 33RED3604 < | 664,88$ | 1345,76$ | 1413,05$ |
| 900 mm x 150 mm (36 in x 6 in) | 33RED3606 < | 725,98$ | 1396,78$ | 1466,62$ |
| 900 mm x 200 mm (36 in x 8 in) | 33RED3608 < | 772,53$ | 1452,38$ | 1525,00$ |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Reducer

| Diameter | Code | Unit Price | | |
|---|---|---|---|---|
| | | Plain end | C | CGI |
| 900 mm x 250 mm (36 in x 10 in) | 33RED3610 < | 815,81$ | 1500,87$ | 1575,91$ |
| 900 mm x 360 mm (36 in x 12 in) | 33RED3612 < | 875,85$ | 1536,47$ | 1613,29$ |
| 900 mm x 375 mm (36 in x 15 in) | 33RED3615 < | 920,15$ | 1585,69$ | 1664,97$ |
| 900 mm x 450 mm (36 in x 18 in) | 33RED3618 < | 980,21$ | 1631,32$ | 1712,89$ |
| 900 mm x 450 mm (36 in x 21 in) | 33RED3621 < | 1010,84$ | 1657,40$ | 1740,27$ |
| 900 mm x 600 mm (36 in x 24 in) | 33RED3624 < | 1041,47$ | 1683,48$ | 1767,65$ |
| 900 mm x 750 mm (36 in x 30 in) | 33RED3630 < | 1093,19$ | 1925,32$ | 2021,59$ |
| 1050 mm x 300 mm (42 in x 12 in) | 33RED4212 < | | | 3489,78$ |
| 1050 mm x 375 mm (42 in x 15 in) | 33RED4215 < | 1603,91$ | | |
| 1050 mm x 600 mm (42 in x 24 in) | 33RED4224 < | | | 3688,27$ |
| 1200 mm x 300 mm (48 in x 12 in) | 33RED4812 < | 1346,61$ | | 4909,95$ |
| 1200 mm x 375 mm (48 in x 15 in) | 33RED4815 < | 1385,83$ | | |
| 1200 mm x 450 mm (48 in x 18 in) | 33RED4818 < | 1440,69$ | | |
| 1200 mm x 600 mm (48 in x 24 in) | 33RED4824 < | 1492,70$ | 4824,80$ | 5066,04$ |
| 1200 mm x 750 mm (48 in x 30 in) | 33RED4830 < | | 5116,78$ | |
| 1200 mm x 900 mm (48 in x 36 in) | 33RED4836 < | 1593,55$ | | 5420,45$ |



**Model shown**

33RED1206

**Model shown**

33RED1206C

**Model shown**

33RED1206CGI

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

**Contact our internal sales team for pricing and lead time on non-listed items.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Tee

| Diameter | Code | Unit Price | | | |
|---|---|---|---|---|---|
| | | Plain end | C | CGI | CGPF |
| 100 mm (4 in) | 33T0404 | 51,18$ | 66,00$ | 80,81$ | 139,49$ |
| 150 mm (6 in) | 33T0606 | 66,76$ | 100,40$ | 134,02$ | 155,40$ |
| 200 mm (8 in) | 33T0808 | 89,73$ | 148,29$ | 206,84$ | 239,87$ |
| 250 mm (10 in) | 33T1010 | 117,89$ | 214,16$ | 310,43$ | 359,95$ |
| 300 mm (12 in) | 33T1212 | 166,57$ | 292,57$ | 418,55$ | |
| 375 mm (15 in) | 33T1515 | 231,18$ | 427,88$ | 624,57$ | |
| 450 mm (18 in) | 33T1818 | 292,97$ | 525,24$ | 757,49$ | |
| 525 mm (21 in) | 33T2121 < | 442,16$ | 730,18$ | 1018,19$ | |
| 600 mm (24 in) | 33T2424 < | 720,27$ | 1302,63$ | 1884,99$ | |
| 750 mm (30 in) | 33T3030 < | 1203,32$ | 1915,65$ | 2627,98$ | |
| 900 mm (36 in) | 33T3636 < | 1789,01$ | 2609,51$ | 3430,01$ | |
| 1050 mm (42 in) | 33T4242 < | 3330,46$ | | 6894,09$ | |
| 1200 mm (48 in) | 33T4848 < | 6046,24$ | 6831,32$ | 8301,37$ | |



**Model shown**
33T1212

**Model shown**
33T1212C

**Model shown**
33T1212CGI

**Model shown**
33T0606CGPF

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**
**CGPF : Water tight PVC female**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Reducer Tee

| Diameter | Code | Unit Price | | | | |
|---|---|---|---|---|---|---|
| | | Plain end | C | CGI | CGPF | CGPF1 |
| 150 mm x 100 mm (6 in x 4 in) | 33T0604 < | 56,31$ | 80,45$ | 104,60$ | 147,44$ | |
| 200 mm x 100 mm (8 in x 4 in) | 33T0804 < | 59,53$ | 110,97$ | 162,39$ | 188,33$ | |
| 200 mm x 150 mm (8 in x 6 in) | 33T0806 < | 73,69$ | 129,55$ | 185,41$ | 222,53$ | |
| 250 mm x 100 mm (10 in x 4 in) | 33T1004 < | 75,71$ | 152,44$ | 229,16$ | 265,74$ | |
| 250 mm x 150 mm (10 in x 6 in) | 33T1006 < | 82,36$ | 165,26$ | 248,16$ | 287,77$ | |
| 250 mm x 200 mm (10 in x 8 in) | 33T1008 < | 107,00$ | 191,04$ | 275,07$ | 318,98$ | |
| 300 mm x 100 mm (12 in x 4 in) | 33T1204 < | 101,62$ | 205,56$ | 309,49$ | 484,46$ | 358,86$ |
| 300 mm x 150 mm (12 in x 6 in) | 33T1206 < | 107,59$ | 221,23$ | 334,86$ | 514,18$ | 380,87$ |
| 300 mm x 200 mm (12 in x 8 in) | 33T1208 < | 120,80$ | 240,02$ | 359,23$ | 562,36$ | 416,56$ |
| 300 mm x 250 mm (12 in x 10 in) | 33T1210 < | 152,72$ | 272,50$ | 392,27$ | 614,09$ | 454,88$ |
| 375 mm x 100 mm (15 in x 4 in) | 33T1504 < | 119,22$ | 237,45$ | 355,66$ | 649,48$ | 481,10$ |
| 375 mm x 150 mm (15 in x 6 in) | 33T1506 < | 137,30$ | 287,22$ | 437,13$ | 684,33$ | 506,91$ |
| 375 mm x 200 mm (15 in x 8 in) | 33T1508 < | 162,46$ | 314,93$ | 467,40$ | 731,75$ | 542,04$ |
| 375 mm x 250 mm (15 in x 10 in) | 33T1510 < | 186,63$ | 341,54$ | 496,44$ | 777,11$ | 575,64$ |
| 375 mm x 300 mm (15 in x 12 in) | 33T1512 < | 196,50$ | 365,99$ | 535,48$ | | |
| 450 mm x 100 mm (18 in x 4 in) | 33T1804 < | 163,97$ | 315,84$ | 467,71$ | 760,55$ | 563,37$ |
| 450 mm x 150 mm (18 in x 6 in) | 33T1806 < | 174,41$ | 357,65$ | 540,90$ | 827,57$ | 613,01$ |
| 450 mm x 200 mm (18 in x 8 in) | 33T1808 < | 185,44$ | 369,59$ | 553,74$ | 866,82$ | 642,09$ |
| 450 mm x 250 mm (18 in x 10 in) | 33T1810 < | 244,43$ | 418,02$ | 591,61$ | 926,13$ | 686,02$ |
| 450 mm x 300 mm (18 in x 12 in) | 33T1812 < | 254,84$ | 453,33$ | 651,82$ | | |
| 450 mm x 375 mm (18 in x 15 in) | 33T1815 < | 281,90$ | 472,59$ | 663,29$ | | |
| 525 mm x 100 mm (21 in x 4 in) | 33T2104 < | 294,46$ | 525,05$ | 755,63$ | 844,34$ | 625,44$ |
| 525 mm x 150 mm (21 in x 6 in) | 33T2106 < | 328,16$ | 545,28$ | 762,40$ | 1001,95$ | 742,19$ |
| 525 mm x 200 mm (21 in x 8 in) | 33T2108 < | 345,72$ | 568,25$ | 790,77$ | 1019,98$ | 755,54$ |
| 525 mm x 250 mm (21 in x 10 in) | 33T2110 < | 359,71$ | 590,82$ | 821,92$ | 1147,38$ | 849,91$ |
| 525 mm x 300 mm (21 in x 12 in) | 33T2112 < | 364,68$ | 616,22$ | 867,76$ | | |
| 525 mm x 375 mm (21 in x 15 in) | 33T2115 < | 393,11$ | 656,03$ | 918,95$ | | |
| 525 mm x 450 mm (21 in x 18 in) | 33T2118 < | 438,23$ | 703,44$ | 968,64$ | | |
| 600 mm x 100 mm (24 in x 4 in) | 33T2404 < | 318,59$ | 623,54$ | 928,47$ | 1492,98$ | 1105,91$ |
| 600 mm x 150 mm (24 in x 6 in) | 33T2406 < | 337,77$ | 637,49$ | 937,21$ | 1616,18$ | 1197,17$ |
| 600 mm x 200 mm (24 in x 8 in) | 33T2408 < | 352,95$ | 660,17$ | 967,38$ | 1794,70$ | 1329,41$ |
| 600 mm x 250 mm (24 in x 10 in) | 33T2410 < | 379,35$ | 690,94$ | 1002,54$ | 1874,96$ | 1388,86$ |
| 600 mm x 300 mm (24 in x 12 in) | 33T2412 < | 404,49$ | 729,06$ | 1053,62$ | | |
| 600 mm x 375 mm (24 in x 15 in) | 33T2415 < | 439,05$ | 771,03$ | 1103,00$ | | |
| 600 mm x 450 mm (24 in x 18 in) | 33T2418 < | 487,31$ | 850,74$ | 1214,17$ | | |
| 600 mm x 525 mm (24 in x 21 in) | 33T2421 < | 545,11$ | 953,26$ | 1361,40$ | | |
| 750 mm x 100 mm (30 in x 4 in) | 33T3004 < | 516,00$ | 1054,01$ | 1592,01$ | 2180,11$ | 1614,90$ |
| 750 mm x 150 mm (30 in x 6 in) | 33T3006 < | 559,01$ | 1092,16$ | 1625,31$ | 2261,65$ | 1675,30$ |
| 750 mm x 200 mm (30 in x 8 in) | 33T3008 < | 563,00$ | 1100,00$ | 1636,99$ | 2298,60$ | 1702,66$ |
| 750 mm x 250 mm (30 in x 10 in) | 33T3010 < | 609,05$ | 1150,49$ | 1691,93$ | 2418,94$ | 1791,81$ |
| 750 mm x 300 mm (30 in x 12 in) | 33T3012 < | 653,96$ | 1208,03$ | 1762,10$ | | |
| 750 mm x 375 mm (30 in x 15 in) | 33T3015 < | 669,21$ | 1230,97$ | 1792,71$ | | |
| 750 mm x 450 mm (30 in x 18 in) | 33T3018 < | 773,11$ | 1345,28$ | 1917,43$ | | |
| 750 mm x 525 mm (30 in x 21 in) | 33T3021 < | 805,28$ | 1443,22$ | 2081,16$ | | |
| 750 mm x 600 mm (30 in x 24 in) | 33T3024 < | 955,54$ | 1578,67$ | 2201,78$ | | |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Reducer Tee

| Diameter | Code | Unit Price | | | | |
|---|---|---|---|---|---|---|
| | | Plain end | C | CGI | CGPF | CGPF1 |
| 900 mm x 100 mm (36 in x 4 in) | 33T3604 < | 876,14$ | 1414,74$ | 1293,34$ | 2531,45$ | 1875,15$ |
| 900 mm x 150 mm (36 in x 6 in) | 33T3606 < | 878,66$ | 1419,11$ | 1959,55$ | 2708,65$ | 2006,41$ |
| 900 mm x 200 mm (36 in x 8 in) | 33T3608 < | 956,67$ | 1501,17$ | 2045,67$ | 2744,60$ | 2033,03$ |
| 900 mm x 250 mm (36 in x 10 in) | 33T3610 < | 962,50$ | 1511,18$ | 2059,86$ | 2860,84$ | 2119,14$ |
| 900 mm x 300 mm (36 in x 12 in) | 33T3612 < | 1040,85$ | 1605,38$ | 2169,90$ | | |
| 900 mm x 375 mm (36 in x 15 in) | 33T3615 < | 1055,96$ | 1629,94$ | 2203,91$ | | |
| 900 mm x 450 mm (36 in x 18 in) | 33T3618 < | 1144,94$ | 1757,51$ | 2370,09$ | | |
| 900 mm x 525 mm (36 in x 21 in) | 33T3621 < | 1242,97$ | 1901,81$ | 2560,66$ | | |
| 900 mm x 600 mm (36 in x 24 in) | 33T3624 < | 1262,94$ | 1947,89$ | 2632,84$ | | |
| 900 mm x 750 mm (36 in x 30 in) | 33T3630 < | 1533,79$ | 2337,09$ | 3140,40$ | | |
| 1200 mm x 100 mm (48 in x 4 in) | 33T4804 < | 1243,69$ | 2830,00$ | 3856,60$ | 7250,41$ | 5370,67$ |
| 1200 mm x 150 mm (48 in x 6 in) | 33T4806 < | 1351,69$ | 2939,35$ | 3970,83$ | 7468,74$ | 5532,39$ |
| 1200 mm x 200 mm (48 in x 8 in) | 33T4808 < | 1353,32$ | 2951,64$ | 3993,55$ | 7991,56$ | 5919,67$ |
| 1200 mm x 250 mm (48 in x 10 in) | 33T4810 < | 1464,88$ | 3075,91$ | 4116,52$ | 8233,04$ | 6098,54$ |
| 1200 mm x 300 mm (48 in x 12 in) | 33T4812 < | 1541,27$ | 3202,48$ | 4258,18$ | | |
| 1200 mm x 375 mm (48 in x 15 in) | 33T4815 < | 1656,91$ | 3353,47$ | 4410,80$ | | |
| 1200 mm x 450 mm (48 in x 18 in) | 33T4818 < | 1666,16$ | 3391,27$ | 4510,98$ | | |
| 1200 mm x 525 mm (48 in x 21 in) | 33T4821 < | 2728,20$ | 3676,33$ | 5042,79$ | | |
| 1200 mm x 600 mm (48 in x 24 in) | 33T4824 < | 2830,43$ | 3816,83$ | 5375,30$ | | |
| 1200 mm x 750 mm (48 in x 30 in) | 33T4830 < | 3037,80$ | 4143,25$ | 5761,71$ | | |
| 1200 mm x 900 mm (48 in x 36 in) | 33T4836 < | 3395,85$ | 6137,19$ | 6203,27$ | | |

**Model shown**
33T1206

**Model shown**
33T1206C

**Model shown**
33T1206CGI

**Model shown**
33T1206CGPF

**Model shown**
33T1206CGPF1

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**
**CGPF : Water tight PVC female connection (with two CGI bells)**
**CGPF1 : Water tight PVC female connection (with CGI bell)**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

**Contact our internal sales team for pricing and lead time on non-listed items.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Wye (Y)

| Diameter | Code | Unit Price | | | |
|---|---|---|---|---|---|
| | | Plain end | C | CGI | CGPF |
| 100 mm (4 in) | 33Y0404 < | 57,44$ | 72,34$ | 86,13$ | 99,89$ |
| 150 mm (6 in) | 33Y0606 < | 72,79$ | 119,08$ | 165,35$ | 220,56$ |
| 200 mm (8 in) | 33Y0808 < | 99,99$ | 170,67$ | 241,33$ | 279,85$ |
| 250 mm (10 in) | 33Y1010 < | 154,70$ | 247,04$ | 339,37$ | 393,54$ |
| 300 mm (12 in) | 33Y1212 < | 232,98$ | 320,94$ | 408,88$ | |
| 375 mm (15 in) | 33Y1515 < | 296,46$ | 480,32$ | 664,17$ | |
| 450 mm (18 in) | 33Y1818 < | 370,77$ | 605,36$ | 839,96$ | |
| 525 mm (21 in) | 33Y2121 < | 534,37$ | 839,33$ | 1144,29$ | |
| 600 mm (24 in) | 33Y2424 < | 938,34$ | 1498,88$ | 2059,41$ | |
| 750 mm (30 in) | 33Y3030 < | 1625,27$ | 2303,75$ | 2982,23$ | |
| 900 mm (36 in) | 33Y3636 < | 2478,27$ | 3245,56$ | 4012,86$ | |
| 1200 mm (48 in) | 33Y4848 < | 4716,50$ | 7850,16$ | 9433,37$ | |

**Model shown**
33Y1212

**Model shown**
33Y1212C

**Model shown**
33Y1212CGI

**Model shown**
33Y0606CGPF

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**
**CGPF : Water tight PVC female**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Wye (Y) Reducer

| Diameter | Code | Unit Price | | | |
|---|---|---|---|---|---|
| | | Plain end | C | CGI | CGPF |
| 150 mm x 100 mm (6 in x 4 in) | 33Y0604 < | 92,23$ | 125,70$ | 160,92$ | 194,83$ |
| 200 mm x 100 mm (8 in x 4 in) | 33Y0804 < | 111,36$ | 158,92$ | 211,96$ | 223,13$ |
| 200 mm x 150 mm (8 in x 6 in) | 33Y0806 < | 112,11$ | 159,99$ | 230,00$ | 242,11$ |
| 250 mm x 100 mm (10 in x 4 in) | 33Y1004 < | 114,97$ | 189,51$ | 276,56$ | 291,56$ |
| 250 mm x 150 mm (10 in x 6 in) | 33Y1006 < | 118,58$ | 275,04$ | 300,45$ | 316,26$ |
| 250 mm x 200 mm (10 in x 8 in) | 33Y1008 < | 159,99$ | 306,07$ | 334,35$ | 351,95$ |
| 300 mm x 100 mm (12 in x 4 in) | 33Y1204 < | 139,99$ | 296,42$ | 346,42$ | 372,48$ |
| 300 mm x 150 mm (12 in x 6 in) | 33Y1206 < | 220,37$ | 302,70$ | 384,66$ | |
| 300 mm x 200 mm (12 in x 8 in) | 33Y1208 < | 233,53$ | 320,76$ | 407,55$ | |
| 300 mm x 250 mm (12 in x 10 in) | 33Y1210 < | 245,09$ | 353,15$ | 448,70$ | |
| 375 mm x 100 mm (15 in x 4 in) | 33Y1504 < | 195,03$ | 335,55$ | 373,60$ | |
| 375 mm x 150 mm (15 in x 6 in) | 33Y1506 < | 228,19$ | 373,60$ | 492,94$ | |
| 375 mm x 200 mm (15 in x 8 in) | 33Y1508 < | 268,06$ | 438,87$ | 528,80$ | |
| 375 mm x 250 mm (15 in x 10 in) | 33Y1510 < | 288,02$ | 496,75$ | 580,12$ | |
| 375 mm x 300 mm (15 in x 12 in) | 33Y1512 < | 391,43$ | 549,22$ | 580,59$ | |
| 450 mm x 100 mm (18 in x 4 in) | 33Y1804 < | 226,78$ | 435,78$ | 549,77$ | |
| 450 mm x 150 mm (18 in x 6 in) | 33Y1806 < | 236,01$ | 508,69$ | 623,16$ | |
| 450 mm x 200 mm (18 in x 8 in) | 33Y1808 < | 282,17$ | 543,22$ | 653,82$ | |
| 450 mm x 250 mm (18 in x 10 in) | 33Y1810 < | 366,82$ | 570,38$ | 686,51$ | |
| 450 mm x 300 mm (18 in x 12 in) | 33Y1812 < | 414,69$ | 580,03$ | 715,69$ | |
| 450 mm x 375 mm (18 in x 15 in) | 33Y1815 < | 443,48$ | 687,98$ | 847,20$ | |
| 525 mm x 100 mm (21 in x 4 in) | 33Y2104 < | 379,62$ | 911,35$ | 1025,66$ | |
| 525 mm x 150 mm (21 in x 6 in) | 33Y2106 < | 436,56$ | 956,92$ | 1076,94$ | |
| 525 mm x 200 mm (21 in x 8 in) | 33Y2108 < | 467,12$ | 1004,77$ | 1130,79$ | |
| 525 mm x 250 mm (21 in x 10 in) | 33Y2110 < | 490,47$ | 1034,91$ | 1164,71$ | |
| 525 mm x 300 mm (21 in x 12 in) | 33Y2112 < | 549,33$ | 1065,96$ | 1199,65$ | |
| 525 mm x 375 mm (21 in x 15 in) | 33Y2115 < | 565,81$ | 1087,27$ | 1223,65$ | |
| 525 mm x 450 mm (21 in x 18 in) | 33Y2118 < | 577,13$ | 1109,02$ | 1248,12$ | |
| 600 mm x 100 mm (24 in x 4 in) | 33Y2404 < | 417,58$ | 916,71$ | 1084,22$ | |
| 600 mm x 150 mm (24 in x 6 in) | 33Y2406 < | 450,99$ | 967,13$ | 1192,64$ | |
| 600 mm x 200 mm (24 in x 8 in) | 33Y2408 < | 491,58$ | 1025,16$ | 1311,90$ | |
| 600 mm x 250 mm (24 in x 10 in) | 33Y2410 < | 533,05$ | 1081,29$ | 1377,14$ | |
| 600 mm x 300 mm (24 in x 12 in) | 33Y2412 < | 574,53$ | 1137,43$ | 1442,38$ | |
| 600 mm x 375 mm (24 in x 15 in) | 33Y2415 < | 620,49$ | 1364,92$ | 1514,50$ | |
| 600 mm x 450 mm (24 in x 18 in) | 33Y2418 < | 873,34$ | 1563,11$ | 1602,64$ | |
| 600 mm x 525 mm (24 in x 21 in) | 33Y2421 < | 943,21$ | 1688,16$ | 1843,04$ | |
| 750 mm x 100 mm (30 in x 4 in) | 33Y3004 < | 1006,37$ | 1278,50$ | 1525,80$ | |
| 750 mm x 150 mm (30 in x 6 in) | 33Y3006 < | 1056,69$ | 1342,42$ | 1602,09$ | |
| 750 mm x 200 mm (30 in x 8 in) | 33Y3008 < | 1098,96$ | 1409,54$ | 1682,20$ | |
| 750 mm x 250 mm (30 in x 10 in) | 33Y3010 < | 1153,91$ | 1478,51$ | 1760,29$ | |
| 750 mm x 300 mm (30 in x 12 in) | 33Y3012 < | 1200,06$ | 1547,48$ | 1838,39$ | |
| 750 mm x 375 mm (30 in x 15 in) | 33Y3015 < | 1242,07$ | 1617,15$ | 1912,33$ | |
| 750 mm x 450 mm (30 in x 18 in) | 33Y3018 < | 1266,91$ | 1737,89$ | 2035,01$ | |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Wye (Y) Reducer

| Diameter | Code | Unit Price | | | |
|---|---|---|---|---|---|
| | | Plain end | C | CGI | CGPF |
| 750 mm x 525 mm (30 in x 21 in) | 33Y3021 < | 1292,25$ | 1901,77$ | 2191,99$ | |
| 750 mm x 600 mm (30 in x 24 in) | 33Y3024 < | 1317,14$ | 2091,60$ | 2457,51$ | |
| 900 mm x 100 mm (36 in x 4 in) | 33Y3604 < | 1680,64$ | 2352,90$ | 2635,25$ | |
| 900 mm x 150 mm (36 in x 6 in) | 33Y3606 < | 1731,06$ | 2423,49$ | 2714,31$ | |
| 900 mm x 200 mm (36 in x 8 in) | 33Y3608 < | 1782,99$ | 2496,19$ | 2795,74$ | |
| 900 mm x 250 mm (36 in x 10 in) | 33Y3610 < | 1845,40$ | 2583,56$ | 2893,59$ | |
| 900 mm x 300 mm (36 in x 12 in) | 33Y3612 < | 1900,76$ | 2661,07$ | 2980,39$ | |
| 900 mm x 375 mm (36 in x 15 in) | 33Y3615 < | 1938,78$ | 2714,29$ | 3040,00$ | |
| 900 mm x 450 mm (36 in x 18 in) | 33Y3618 < | 1977,55$ | 2768,57$ | 3100,80$ | |
| 900 mm x 525 mm (36 in x 21 in) | 33Y3621 < | 2036,88$ | 2851,63$ | 3193,83$ | |
| 900 mm x 600 mm (36 in x 24 in) | 33Y3624 < | 2097,98$ | 2937,18$ | 3289,64$ | |
| 900 mm x 750 mm (36 in x 30 in) | 33Y3630 < | 2160,92$ | 3025,29$ | 3854,13$ | |
| 1200 mm x 100 mm (48 in x 4 in) | 33Y4804 < | 1780,65$ | 2937,22$ | 3963,82$ | |
| 1200 mm x 150 mm (48 in x 6 in) | 33Y4806 < | 1831,06$ | 2943,16$ | 3974,64$ | |
| 1200 mm x 200 mm (48 in x 8 in) | 33Y4808 < | 1882,99$ | 3063,23$ | 4105,14$ | |
| 1200 mm x 250 mm (48 in x 10 in) | 33Y4810 < | 1945,04$ | 3090,24$ | 4130,86$ | |
| 1200 mm x 300 mm (48 in x 12 in) | 33Y4812 < | 2000,76$ | 3327,72$ | 4383,43$ | |
| 1200 mm x 375 mm (48 in x 15 in) | 33Y4815 < | 2039,16$ | 3495,84$ | 4553,17$ | |
| 1200 mm x 450 mm (48 in x 18 in) | 33Y4818 < | 2077,55$ | 3652,08$ | 4714,25$ | |
| 1200 mm x 525 mm (48 in x 21 in) | 33Y4821 < | 2184,24$ | 3957,42$ | 5065,59$ | |
| 1200 mm x 600 mm (48 in x 24 in) | 33Y4824 < | 2434,79$ | 4251,87$ | 5441,72$ | |
| 1200 mm x 750 mm (48 in x 30 in) | 33Y4830 < | 2744,31$ | 4679,11$ | 5881,48$ | |
| 1200 mm x 900 mm (48 in x 36 in) | 33Y4836 < | 3384,48$ | 5384,12$ | 6589,36$ | |

**Model shown**
33Y1206

**Model shown**
33Y1206C

**Model shown**
33Y1206CGI

**Model shown**
33Y1206CGPF

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**
**CGPF : Water tight PVC female**
**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

**Contact our internal sales team for pricing and lead time on non-listed items.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Manhole Adapter - PVC Format

| Diameter | Code | Unit Price |
|---|---|---|
| 100 mm (4 in) | 33ADR04 | 20,17$ |
| 150 mm (6 in) | 33ADR06 | 28,66$ |
| 200 mm (8 in) | 33ADR08 | 42,32$ |
| 250 mm (10 in) | 33ADR10 | 83,66$ |
| 300 mm (12 in) | 33ADR12GIP | 270,41$ |
| 375 mm (15 in) | 33ADR15GIP | 304,53$ |
| 450 mm (18 in) | 33ADR18GIP | 344,51$ |
| 525 mm (21 in) | 33ADR21GIP | 419,84$ |
| 600 mm (24 in) | 33ADR24GIP | 638,02$ |
| 750 mm (30 in) | 33ADR30GIP < | 964,96$ |
| 900 mm (36 in) | 33ADR36GIP < | 1133,80$ |

**Model shown**

33ADR15GIP

**For example, a 450 mm (18 in) manhole adapter will connect a Solflo Max 450 mm (18 in) pipe to a manhole whose aperture will be in the format of a DR35 pipe of the same diameter.**

### Manhole Adapter For Concrete Entry



| Diameter | Code | Unit Price |
|---|---|---|
| 525 mm (21 in) | 33ADR21GIS < | 662,97$ |
| 600 mm (24 in) | 33ADR24GIS < | 799,01$ |
| 750 mm (30 in) | 33ADR30GIS | 995,67$ |
| 900 mm (36 in) | 33ADR36GIS | 1339,67$ |
| 1050 mm (42 in) | 33ADR42SF* < | 2930,62$ |
| 1200 mm (48 in) | 33ADR48GIS < | 3455,25$ |
| 1500 mm (60 in) | 33ADR60SF* < | 6920,00$ |

**Model shown**

33ADR36GIS

**For example, a 600 mm (24 in) manhole adapter will connect a Solflo Max 600 mm (24 in) manhole to a manhole with a 525 mm (21 in) TBA pipe aperture. Refer to the product technical sheet available at www.soleno.com.**

**Our 1 050 (42 in) and 1 500 mm (60 in) Solflo Max pipe fittings are CG type (in-line bell with gasketed spigot). All other diameters are fitted with CGI (bell with integrated gasket).**

*** The 1 050 mm (42 in) (33ADR42SF) and 1 500 mm (60 in) (33ADR60SF) manhole adapters have a female end. Adapters are also available with male ends. 1 050 mm (42 in) : 33ADR42SM and 1 500 mm (60 in) : 33ADR60SM.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

# SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

## Universal Sol-Tee

**Model shown**
33SL041248

| Diameter | Code | Unit Price |
|---|---|---|
| 100 mm (4 in) | 33SL041248 | 143,22$ |
| 150 mm (6 in) | 33SL061548 | 182,57$ |
| 200 mm (8 in) | 33SL081848 | 221,95$ |

**Other connection options are available. Please refer to your sales representative.**

## Universal Sol-Tee Saw Bit



**Model shown**
SM0004

| Diameter | Code | Unit Price |
|---|---|---|
| 100 mm (4 in) | SM0004 | 762,20$ |
| 150 mm (6 in) | SM0006 | 942,45$ |
| 200 mm (8 in) | SM0008 | 1349,30$ |
| 250 mm (10 in) | SM0010 | 1668,60$ |

**Sol-tee saw bits are available for purchase at the prices indicated above. They are also available for rental. In this case, 80% of the purchase price will be credited if returned in the same condition as received.**

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Flared End - HDPE

| Diameter | Code | Unit Price |
|---|---|---|
| 300-375 mm (12-15 in) | EEPLAST1215 < | 320,89$ |
| 450 mm (18 in) | EEPLAST18 < | 528,90$ |
| 600 mm (24 in) | EEPLAST24 < | 913,99$ |
| 900 mm (36 in) | EEPLAST3036 < | 1574,44$ |

### Flared End - Steel

| Diameter | Code | Unit Price |
|---|---|---|
| 300 mm (12 in) | EEACIER12 < | 291,10$ |
| 375 mm (15 in) | EEACIER15 < | 356,67$ |
| 450 mm (18 in) | EEACIER18 < | 451,31$ |
| 600 mm (24 in) | EEACIER24 < | 649,96$ |
| 750 mm (30 in) | EEACIER30 < | 1163,68$ |
| 900 mm (36 in) | EEACIER36 < | 1694,97$ |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SOLFLO AND SOLFLO MAX COUPLINGS AND ACCESSORIES

### Sacrificial Pipe

**Model shown**

33TS18

| | Diameter | Code | Unit Price |
|---|---|---|---|
| < | 300 mm (12 in) | 33TS12 | 169,69$ |
| < | 375 mm (15 in) | 33TS15 | 193,01$ |
| < | 450 mm (18 in) | 33TS18 | 413,26$ |
| < | 525 mm (21 in) | 33TS21 | 532,10$ |
| < | 600 mm (24 in) | 33TS24 | 559,22$ |
| < | 750 mm (30 in) | 33TS30 | 703,44$ |
| < | 900 mm (36 in) | 33TS36 | 869,42$ |
| < | 1050 mm (42 in) | 33TS42 | 1102,28$ |
| < | 1200 mm (48 in) | 33TS48 | 1182,75$ |
| < | 1500 mm (60 in) | 33TS60 | 1496,88$ |

### Steel Cross



**Model shown**

33XA183P

| | Diameter | Code | Unit Price |
|---|---|---|---|
| < | 450 mm (18 in) | 33XA183P | 518,29$ |
| < | 525 mm (21 in) | 33XA213P | 579,77$ |
| < | 600 mm (24 in) | 33XA243P | 632,48$ |
| < | 750 mm (30 in) | 33XA303P | 1075,66$ |
| < | 900 mm (36 in) | 33XA363P | 1178,12$ |
| < | 1050 mm (42 in) | 33XA423P | 1434,24$ |
| < | 1200 mm (48 in) | 33XA483P | 1575,08$ |
| < | 1500 mm (60 in) | 33XA603P | 1946,44$ |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

# BEVELLED PIPE

## Pipe with Bevelled End

| Diameter | Length | kPa | Code | Unit Price | | |
|---|---|---|---|---|---|---|
| | | | | Plain end | C | CGI |
| 300 mm (12 in) | 4.27 ft | R320 | 33END12 | 237,68$ | 250,17$ | 284,29$ |
| 375 mm (15 in) | 4.59 ft | R320 | 33END15 | 327,80$ | 345,04$ | 379,16$ |
| 450 mm (18 in) | 4.92 ft | R320 | 33END18 | 401,05$ | 422,15$ | 453,95$ |
| 525 mm (21 in) | 5.25 ft | R320 | 33END21 | 490,99$ | 527,97$ | 567,69$ |
| 600 mm (24 in) | 5.58 ft | R320 | 33END24 | 596,37$ | 641,63$ | 697,41$ |
| 750 mm (30 in) | 5.91 ft | R320 | 33END30 | 1009,76$ | 1086,53$ | 1194,00$ |
| 900 mm (36 in) | 6.23 ft | R320 | 33END36 | 1343,07$ | 1445,57$ | 1554,38$ |
| 1200 mm (48 in) | 6.56 ft | R125 | 33END48 | 1786,00$ | 1873,00$ | 1960,00$ |

- **Cost of bevelled cut is included in the price.**
- **Bevelled ends come with a polyethylene band covering and are made of Solflo Max R320 pipe.**
- **Cutting angle is 2:1(26.6°) - MTQ standards.**
- **3:1(18.5°) angle cut available upon request.**

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**

**Model shown**

33END18C



## Bevelled Cut

| Diameter | Price / Cut | | | |
|---|---|---|---|---|
| | 1:1(45°) | 1:2(63,4°) | 2:1(26,6°) | 3:1(18,5°) |
| < 300 mm (12 in) | 111,48$ | 111,48$ | 111,48$ | 111,48$ |
| < 375 mm (15 in) | 139,41$ | 139,41$ | 139,41$ | 139,41$ |
| < 450 mm (18 in) | 167,25$ | 167,25$ | 167,25$ | 167,25$ |
| < 525 mm (21 in) | 209,08$ | 209,08$ | 209,08$ | 209,08$ |
| < 600 mm (24 in) | 250,88$ | 250,88$ | 250,88$ | 250,88$ |
| < 750 mm (30 in) | 278,75$ | 278,75$ | 278,75$ | 278,75$ |
| < 900 mm (36 in) | 334,52$ | 334,52$ | 334,52$ | 334,52$ |
| < 1050 mm (42 in) | 376,34$ | 376,34$ | 376,34$ | 376,34$ |
| < 1200 mm (48 in) | 418,15$ | 418,15$ | 418,15$ | 418,15$ |
| < 1500 mm (60 in) | 473,91$ | 473,91$ | 473,91$ | 473,91$ |

- **Our bevelled cuts comply with MTQ regulations.**
- **The standard MTQ cutting angle is 2:1.**
- **Bevelled cuts come with a polyethylene band covering and are made of Solflo Max R320 pipe.**
- **The cutting costs are to be added to the price of a Solflo Max pipe.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SLUICE PIPE

### Pipe

| Diameter | Length | kPa | Code | Unit Price |
|---|---|---|---|---|
| < 300 mm (12 in) | 19.69 ft | R320 | DALOT-321220C | 229,73$ |
| < 375 mm (15 in) | 19.69 ft | R320 | DALOT-321520C | 445,17$ |
| < 450 mm (18 in) | 19.69 ft | R320 | DALOT-321820C | 578,87$ |
| < 525 mm (21 in) | 19.69 ft | R320 | DALOT-322120C | 832,91$ |
| < 600 mm (24 in) | 19.69 ft | R320 | DALOT-322420C | 1089,80$ |
| < 750 mm (30 in) | 19.69 ft | R320 | DALOT-323020C | 1535,14$ |
| < 900 mm (36 in) | 19.69 ft | R320 | DALOT-323620C | 2421,95$ |
| < 1050 mm (42 in) | 10.83 ft | R140 | DALOT-324225CG | 2972,55$ |
| < 1200 mm (48 in) | 19.69 ft | R125 | DALOT-324820CGI | 3101,58$ |
| < 1500 mm (60 in) | 19.69 ft | R105 | DALOT-216024CG | On request |

**Model shown**

DALOT-321220C



- **Our sluice pipes are sold by the pair only.**
- **Cost of sluice pipe cut is included in price.**
- **Anchors sold separately (see below).**
- **Sluice pipes do not come with a polyethylene band covering.**

### Anchor

| Diameter | Code | Unit Price |
|---|---|---|
| < 300 mm (12 in) to 525 mm (21 in) | 6ADS012021 | 71,41$ |
| < 600 mm (24 in) to 900 mm (36 in) | 6ADS024036 | 76,39$ |
| < 1050 mm (42 in) to 1200 mm (48 in) | 6ADS042048 | 85,75$ |

**Two anchors are required at each end of a sluice pipe. The distance between each pair of anchors shall not exceed 1.5 meters.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## BEAVER BARRIER

### Barrier

| Diameter | Code | Unit Price |
|---|---|---|
| 300 mm (12 in) | 33HC12 < | 887,71 $ |
| 450 mm (18 in) | 33HC18 < | 1284,58 $ |

**Model shown**

33HC18

### Anchor

| Diameter | Code | Unit Price |
|---|---|---|
| 300 mm (12 in) | MPANCR12 < | 79,85 $ |
| 450 mm (18 in) | MPANCR18 < | 83,22 $ |



**A complete kit consists of one barrier, four anchors and one 9 m (29.54 ft) Solflo Max R210 pipe. All components are sold separately.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## ENVIRO-SPAN

### Straight Module

| | Description | Code | Unit Price |
|---|---|---|---|
| < | 2 150 mm (7 ft) x 1 070 mm (3.5 ft) | ENSP-900742C | 2400,98 $ |

### Angle Module

| | Description | Code | Unit Price |
|---|---|---|---|
| < | 23 degree angle | ENSP-910723C | 2162,73 $ |

### Connector

| | Description | Code | Unit Price |
|---|---|---|---|
| < | 2 150 mm (7 ft) | ENSP-920742C | 270,19 $ |



**See our brochure at www.soleno.com/en/resource-center/.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## CHANNEL

### Hauraton Recyfix Pro & NC Channel

| | Type | LN | Width | Cl. | Grid Pattern / Material | ADA | Anti Heel | Code | Unit Price |
|---|---|---|---|---|---|---|---|---|---|
| < | PRO | 3.28 ft | 100mm | B125 | Grattings / Galv. Steel | | | HAU47034 | 228,45 $ |
| < | PRO | 3.28 ft | 100mm | C250 | Slot / Polyamide | X | X | HAU47055 | 181,53 $ |
| < | PRO | 3.28 ft | 150mm | B125 | Grattings / Galv. Steel | | | HAU47140 | 351,20 $ |
| < | PRO | 3.28 ft | 150mm | C250 | Slot / Polyamide | X | X | HAU47111 | 313,43 $ |
| < | PRO | 3.28 ft | 150mm | C250 | Slot long. / Galv. Steel | X | | HAU47100[1] | 132,75 $ |
| < | PRO | 3.28 ft | 150mm | C250 | Slot long. / Galv. Steel | X | | HAU31110[2] | 451,06 $ |
| < | PRO | 3.28 ft | 200mm | B125 | Grattings / Galv. Steel | | | HAU47248 | 431,66 $ |
| < | PRO | 3.28 ft | 200mm | B125 | Slot / Polyamide | X | X | HAU47246 | 359,71 $ |
| < | NC | 3.28 ft | 100mm | D400 | Slot / Cast Iron | X | X | HAU48771 | 310,24 $ |
| < | NC | 3.28 ft | 100mm | E600 | Slot / Cast Iron | X | X | HAU48770 | 362,88 $ |
| < | NC | 3.28 ft | 150mm | D400 | Slot / Cast Iron | X | | HAU48871 | 433,84 $ |
| < | NC | 3.28 ft | 150mm | E600 | Slot / Cast Iron | X | | HAU48870 | 567,53 $ |
| < | NC | 3.28 ft | 200mm | D400 | Slot / Cast Iron | X | | HAU49573 | 568,01 $ |
| < | NC | 3.28 ft | 200mm | E600 | Slot / Cast Iron | X | | HAU49572 | 665,95 $ |
| < | NC | 3.28 ft | 300mm | D400 | Slot / Cast Iron | X | | HAU49873 | 698,74 $ |
| < | NC | 3.28 ft | 300mm | E600 | Slot / Cast Iron | X | | HAU49872 | 785,50 $ |



**Model shown**

HAU47034

**Model shown**

HAU47055



**Model shown**

HAU47100 + HAU31110

**Model shown**

HAU49573

**ADA : "Americans with Disabilities Act" compliant (www.ada.gov).**

**Channels sold individually.**

**A double bell 3MCC004C is required to connect to a 100 mm (4 in) diameter drainage pipe.**

**A double bell 3MCC004C or 3MCC004GI is required to connect to a 100 mm (4 in) diameter Solflo Max pipe. A double bell 3MCC006C or 3MCC006GI is required to connect to a 150 mm (6 in) diameter Solflo Max pipe.**

**A double bell HAU924 is required to connect to a 100 mm (4 in) diameter PVC pipe. A PVC DR35 female section is required to connect to a 150 mm (6 in) diameter PVC pipe. A female or male PVC DR35 section is required to connect to a 200 mm (8 in) diameter PVC pipe. Note that Soleno does not provide PVC pipe.**

**Two pre-assembled grids included per channel except for the HAU47100 model. Model HAU47100 must be accompanied by model HAU31110, a longitudinal slot grid made of galvanized steel (not pre-assembled).**

**[1] Channel only.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

SOLENO
MASTERING WATER SUSTAINABLY

## CHANNEL

### Hauraton Recyfix Pro & NC Vertical Drain

| | Type | Width | Cl. | Grid Pattern / Material | ADA | Anti Heel | Basket | Code | Unit Price |
|---|---|---|---|---|---|---|---|---|---|
| < | PRO | 100mm | B125 | Grattings / Galv. Steel | | | PVC | HAU47052 | 288,52 $ |
| < | PRO | 100mm | C250 | Slot / Polyamide | X | X | PVC | HAU47054 | 425,52 $ |
| < | PRO | 150mm | C250 | Slot long. / Galv. Steel | X | | Galv. Steel | HAU47151[1] | 653,41 $ |
| < | PRO | 150mm | C250 | Slot long. / Galv. Steel | X | | Galv. Steel | HAU31115[2] | 971,63 $ |
| < | PRO | 150mm | B125 | Grattings / Galv. Steel | | | Galv. Steel | HAU47155 | 1171,82 $ |
| < | PRO | 150mm | C250 | Slot / Polyamide | X | X | Galv. Steel | HAU47152 | 886,74 $ |
| < | PRO | 200mm | B125 | Grattings / Galv. Steel | | | Galv. Steel | HAU47256 | 1335,97 $ |
| < | PRO | 200mm | B125 | Slot / Polyamide | X | X | PVC | HAU47253 | 978,43 $ |
| < | NC | 100mm | E600 | Slot / Cast Iron | X | X | PVC | HAU48753 | 431,82 $ |
| < | NC | 150mm | E600 | Slot / Cast Iron | X | | Galv. Steel | HAU48853 | 951,39 $ |
| < | NC | 200mm | E600 | Slot / Cast Iron | X | | Galv. Steel | HAU49553 | 877,98 $ |
| < | NC | 300mm | E600 | Slot / Cast Iron | X | | Galv. Steel | HAU32338 | 1276,96 $ |

**Model shown**

HAU47052



**Model shown**

HAU47151 + HAU31115

**Model shown**

HAU47054

**Model shown**

HAU48753

[1] **Vertical drain only.**
[2] **Cover only.**

### Hauraton Recyfix Pro & NC Accessories

| | Code | Description | Unit Price |
|---|---|---|---|
| < | HAU48681 | END CAP RX PRO/NC 100 PP CLOSED | 20,55 $ |
| < | HAU40591 | END CAP RX PRO/NC 150 PP closed-premolded DN 110 | 22,16 $ |
| < | HAU41387 | END CAP RX PRO/NC 200, PP, closed-premolded DN 110 | 24,13 $ |
| < | HAU49791 | END CAP RX PRO/NC 300 galv W PVC DN 200 | 213,82 $ |
| < | HAU49783 | END CAP RX PRO/NC 300 galv closed | 67,87 $ |
| < | HAU924 | DOUBLE BELL HAURATON FOR PVC DN 110 | 24,84 $ |



**Model shown**

HAU48681



**Model shown**

HAU40591

**Model shown**

HAU41387



**Model shown**

HAU49791

**Model shown**

HAU49783

**Accessories required for connections are sold separately.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## CHANNEL

### Hauraton Top X Channel

| | LN | Width | Cl. | Grid Pattern / Material | ADA | Anti Heel | Code | Unit Price |
|---|---|---|---|---|---|---|---|---|
| < | 3.28 ft | 90mm | A15 | Caillebotis / Polypropylene | X | | HAU44320 | 38,65 $ |
| < | 3.28 ft | 90mm | A15 | Footbridge / Galv. Steel | X | | HAU44300 | 48,98 $ |



**Model shown**

HAU44320



**Model shown**

HAU44300

**ADA : "Americans with Disabilities Act" compliant (www.ada.gov).**

**Channels sold in pallets of 24.**

**A universal adapter 100 mm (4 in) 1ADRCU04 + installation kit HAU44343 are required to connect to a 100 mm (4 in) drainage pipe.**

**A double bell 3MCC004C or 3MCC004GI + intstallation kit HAU44343 are required to connect to a 100 mm (4 in) Solflo Max pipe.**

**An installation kit HAU44343 is required to connect to a 100 mm (4 in) PVC pipe. Note that Soleno does not provide PVC pipe.**

### Hauraton Top X Accessories

| | Code | Description | Unit Price |
|---|---|---|---|
| < | HAU44343 | INSTALLATION KIT CHANNEL TOP X 100 | 30,00 $ |
| < | HAU44360 | CORNER UNIT UNIVERSAL TOP X 137mm | 38,38 $ |

**Model shown**

HAU44343

**Model shown**

HAU44360

**Accessories required for connections are sold separately.**

**Our Hauraton line of products is available out of St-Jean-sur-Richelieu (Soleno VPR), Quebec only.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

# KRAH

## Pipe

| Code | Diameter | | RSC | Length | Price / Foot |
|---|---|---|---|---|---|
| | Inside | Outside | | | |
| KRAH24RSC250 | 600 mm (23.6 in) | 27.4 in | 250 | 5.7 m | On request |
| KRAH32RSC250 | 800 mm (31.5 in) | 35.4 in | 250 | 5.7 m | On request |
| KRAH40RSC250 | 1000 mm (39.4 in) | 44.3 in | 250 | 5.7 m | On request |
| KRAH48RSC250 | 1200 mm (47.2 in) | 53.0 in | 250 | 5.7 m | On request |
| KRAH56RSC250 | 1400 mm (55.1 in) | 62.7 in | 250 | 5.7 m | On request |
| KRAH60RSC250 | 1500 mm (59.1 in) | 66.6 in | 250 | 5.7 m | On request |
| KRAH64RSC250 | 1600 mm (63.0 in) | 70.6 in | 250 | 5.7 m | On request |
| KRAH72RSC250 | 1800 mm (70.9 in) | 78.7 in | 250 | 5.7 m | On request |
| KRAH80RSC250 | 2000 mm (78.7 in) | 88.0 in | 250 | 5.7 m | On request |
| KRAH88RSC250 | 2200 mm (86.6 in) | 96.0 in | 250 | 5.7 m | On request |
| KRAH96RSC250 | 2400 mm (94.5 in) | 103.9 in | 250 | 5.7 m | On request |

## Gasket

| Diameter | Code |
|---|---|
| 600 mm (24 in) | KRAHGARNITURE24 |
| 800 mm (32 in) | KRAHGARNITURE32 |
| 1000 mm (40 in) | KRAHGARNITURE40 |
| 1200 mm (48 in) | KRAHGARNITURE48 |
| 1400 mm (56 in) | KRAHGARNITURE56 |
| 1500 mm (60 in) | KRAHGARNITURE60 |
| 1600 mm (64 in) | KRAHGARNITURE64 |
| 1800 mm (72 in) | KRAHGARNITURE72 |
| 2000 mm (80 in) | KRAHGARNITURE80 |
| 2200 mm (88 in) | KRAHGARNITURE88 |
| 2400 mm (96 in) | KRAHGARNITURE96 |

**The pipe is equipped with a gasket bell of 15 PSI. Two gaskets are required per seal. The price of the gaskets is included in the price of the pipe.**

**Electro-fused bell available on request.**

**Our Krah line of products is available out of St-Louis-de-Blandford, Quebec.**

**The Krah pipe can be custom made depending on the application. Contact your sales representative for more information.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## SMOOTH EXTERIOR CATCH BASIN

### Catch Basin



| Diameter | Standard height | Code | Unit Price |
|---|---|---|---|
| < 450 mm (18 in) | 2 m (6.56 ft) | 33P183P | 876,73 $ |
| < 600 mm (24 in) | 2 m (6.56 ft) | 33P243P | 1199,78 $ |
| < 750 mm (30 in) | 2 m (6.56 ft) | 33P303P | 1759,48 $ |
| < 900 mm (36 in)* | 2 m (6.56 ft) | 33P363P | 2350,81 $ |

**Model shown**

33P243P

***From 900 mm (36 in), handling components are included (eyelet for 900 mm (36 in) and lifting cable for larger diameters).**

**The illustrated connections are not included in the prices.**

### Additional Height

| Diameter | Code | Price / Foot |
|---|---|---|
| < 450 mm (18 in) | 33PH183P | 47,08 $ |
| < 600 mm (24 in) | 33PH243P | 68,25 $ |
| < 750 mm (30 in) | 33PH303P | 107,70 $ |
| < 900 mm (36 in) | 33PH363P | 150,65 $ |

### Catch Basin 600 mm (24 in)

| Diameter | Standard height | Code | Unit Price |
|---|---|---|---|
| < 600 mm (24 in) | 1,2 m (3.94 pi) | 33P243P12FOND | 721,38 $ |
| < 600 mm (24 in) | 1,3 m (4.27 pi) | 33P243P13FOND | 781,50 $ |
| < 600 mm (24 in) | 1,5 m (4.92 pi) | 33P243P15FOND | 901,73 $ |
| < 600 mm (24 in) | 1,6 m (5.25 pi) | 33P243P16FOND | 961,84 $ |
| < 600 mm (24 in) | 1,7 m (5.58 pi) | 33P243P17FOND | 1021,96 $ |
| < 600 mm (24 in) | 1,8 m (5.91 pi) | 33P243P18FOND | 1082,07 $ |
| < 600 mm (24 in) | 2,0 m (6.56 pi) | 33P243P20FOND | 1202,30 $ |

**Model shown**

33P243P20FOND

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SMOOTH EXTERIOR MANHOLE

### Manhole 750 mm (30 in) - 900 mm (36 in)

**Model shown**

33REG363P

| | Diameter | Standard height | Code | Unit Price |
|---|---|---|---|---|
| < | 750 mm (30 in) | 2 m (6.56 ft) | 33REG303P | 1594,19 $ |
| < | 900 mm (36 in)* | 2 m (6.56 ft) | 33REG363P | 2793,45 $ |

***From 900 mm (36 in), handling components are included (eyelet for 900 mm (36 in) and lifting cable for larger diameters).**

### Manhole 1050 mm (42 po) - 1500 mm (60 po)



**Model shown**

33REG483P

| | Diameter | Standard height | Code | Unit Price |
|---|---|---|---|---|
| < | 1050 mm (42 in)* | 2 m (6.56 ft) | 33REG423P | 5550,49 $ |
| < | 1200 mm (48 in)* | 2 m (6.56 ft) | 33REG483P | 6454,08 $ |
| < | 1500 mm (60 in)* | 2 m (6.56 ft) | 33REG603P | On request |

***From 900 mm (36 in), handling components are included (eyelet for 900 mm (36 in) and lifting cable for larger diameters).**

**The illustrated connections are not included in the prices.**

### Additional Height

| | Diameter | Code | Price / Foot |
|---|---|---|---|
| < | 750 mm (30 in) | 33PH303P | 107,70 $ |
| < | 900 mm (36 in) | 33PH363P | 150,65 $ |
| < | 1050 mm (42 in) | 33PH423P | 166,80 $ |
| < | 1200 mm (48 in) | 33PH483P | 189,86 $ |
| < | 1500 mm (60 in) | 33PH603P | On request |

**Structures larger than 1500 mm (60 in) in diameter and up to 3300 mm (132 in) are also available upon request. Contact your sales representative for more information.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## CORRUGATED MANHOLE/CATCH BASIN

### Catch Basin 300 mm (12 in) - 900 mm (36 in)



| | Diameter | Standard height | Code | Unit Price |
|---|---|---|---|---|
| < | 300 mm (12 in) | 1.3 m (4.27 ft) | 33P1200 | 171,22 $ |
| < | 375 mm (15 in) | 1.3 m (4.27 ft) | 33P1500 | 236,59 $ |
| < | 450 mm (18 in) | 1.3 m (4.27 ft) | 33P1800 | 296,80 $ |
| < | 600 mm (24 in) | 1.3 m (4.27 ft) | 33P2400 | 466,75 $ |
| < | 750 mm (30 in) | 1.3 m (4.27 ft) | 33P3000 | 668,85 $ |
| < | 900 mm (36 in)* | 1.3 m (4.27 ft) | 33P3600 | 1063,37 $ |

**Model shown**

33P2400

***From 900 mm (36 in), handling components are included (eyelet for 900 mm (36 in) and lifting cable for larger diameters).**

**The illustrated connections are not included in the prices.**

### Catch Basin 1050 mm (42 in) - 1500 mm (60 in)

| | Diameter | Standard height | Code | Unit Price |
|---|---|---|---|---|
| < | 1050 mm (42 in)* | 1,5 m (4.92 ft) | 33P4200 | 4296,80 $ |
| < | 1200 mm (48 in)* | 1,5 m (4.92 ft) | 33P4800 | 4603,21 $ |
| < | 1500 mm (60 in)* | 1,5 m (4.92 ft) | 33P6000 | On request |

**Model shown**

33P4800

***From 900 mm (36 in), handling components are included (eyelet for 900 mm (36 in) and lifting cable for larger diameters).**

**The illustrated connections are not included in the prices.**

### Additional Height

| | Diameter | Code | Price / Foot |
|---|---|---|---|
| < | 300 mm (12 in) | 33PH12 | 11,24 $ |
| < | 375 mm (15 in) | 33PH15 | 16,46 $ |
| < | 450 mm (18 in) | 33PH18 | 22,42 $ |
| < | 600 mm (24 in) | 33PH24 | 34,93 $ |
| < | 750 mm (30 in) | 33PH30 | 67,71 $ |
| < | 900 mm (36 in) | 33PH36 | 104,00 $ |
| < | 1050 mm (42 in) | 33PH42 | 112,15 $ |
| < | 1200 mm (48 in) | 33PH48 | 119,47 $ |
| < | 1500 mm (60 in) | 33PH60 | On request |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SMOOTH EXTERIOR PRETREATMENT CATCH BASIN

### Catch Basin



| | Diameter | Standard height | Code | Unit Price |
|---|---|---|---|---|
| < | 600 mm (24 in) | 2 m (6.56 ft) | 33PT24 | 1135,82 $ |
| < | 750 mm (30 in) | 2 m (6.56 ft) | 33PT30 | 1759,48 $ |
| < | 900 mm (36 in)* | 2 m (6.56 ft) | 33PT36 | 2477,64 $ |

**Model shown**

33PT36

***From 900 mm (36 in), handling components are included (eyelet for 900 mm (36 in) and lifting cable for larger diameters).**

**The illustrated connections are not included in the prices.**

### Interior Elbow Of The Pretreatment Catch Basin

| | Diameter | Code | Unit Price |
|---|---|---|---|
| < | 100 mm (4 in) | 33PC04 | 191,50 $ |
| < | 150 mm (6 in) | 33PC06 | 245,95 $ |
| < | 200 mm (8 in) | 33PC08 | 319,76 $ |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

# PERCOLATION CATCH BASIN

## Catch Basin

| Diameter | Code | Unit Price |
|---|---|---|
| < 450 mm (18 in) | 33PER18 | 752,61 $ |
| < 600 mm (24 in) | 33PER24 | 1053,22 $ |
| < 750 mm (30 in) | 33PER30 | 1490,32 $ |
| < 900 mm (36 in)* | 33PER36 | 2194,35 $ |

**Percolation well units are specifically designed for each project. Final configuration and selected options will determine selling price.**

**Standard height of 2 meters**

***From 900 mm (36 in), handling components are included (eyelet for 900 mm (36 in) and lifting cable for larger diameters).**

**Structures larger than 900 mm (36 in) in diameter are also available upon request. Contact your sales representative for more information.**

**Model shown**

33PER24

**The illustrated connections are not included in the prices.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## LINEAR CATCH BASIN

### Catch Basin

| Diameter | Length | Code | Unit Price |
|---|---|---|---|
| < 300 mm (12 in) | 6.56 ft | 33PL12 | 4123,76 $ |
| < 375 mm (15 in) | 6.56 ft | 33PL15 | 4274,42 $ |
| < 450 mm (18 in) | 6.56 ft | 33PL18 | 4392,34 $ |
| < 525 mm (21 in) | 6.56 ft | 33PL21 | 4510,52 $ |
| < 600 mm (24 in) | 6.56 ft | 33PL24 | 4652,44 $ |

**Model shown**

33PL12



**Grate is made of galvanized steel and funnel is made of stainless steel.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

# MANHOLE/CATCH BASIN ACCESSORIES

## Connection

| Diameter | Code | Unit Price | | | |
|---|---|---|---|---|---|
| | | Plain end | C | CGI | PVCF |
| < 100 mm (4 in) | 33PS04 | 58,21$ | 65,11$ | 71,61$ | 157,24$ |
| < 150 mm (6 in) | 33PS06 | 61,27$ | 75,46$ | 91,27$ | 192,27$ |
| < 200 mm (8 in) | 33PS08 | 66,05$ | 88,73$ | 118,02$ | 233,61$ |
| < 250 mm (10 in) | 33PS10 | 71,79$ | 110,25$ | 150,51$ | 280,35$ |
| < 300 mm (12 in) | 33PS12 | 106,21$ | 155,34$ | 210,69$ | |
| < 375 mm (15 in) | 33PS15 | 144,02$ | 232,85$ | 283,56$ | |
| < 450 mm (18 in) | 33PS18 | 173,29$ | 289,43$ | 343,17$ | |
| < 525 mm (21 in) | 33PS21 | 232,84$ | 396,79$ | 529,05$ | |
| < 600 mm (24 in) | 33PS24 | 283,02$ | 606,01$ | 805,84$ | |
| < 750 mm (30 in) | 33PS30 | 441,84$ | 880,51$ | 964,99$ | |
| < 900 mm (36 in) | 33PS36 | 671,33$ | 1166,81$ | 1555,24$ | |
| < 1050 mm (42 in) | 33PS42 | 2962,26$ | | 3370,06$ | |
| < 1200 mm (48 in) | 33PS48 | 3224,10$ | 3366,00$ | 3544,53$ | |

**Legend :**
**Plain end : No coupling**
**C : Soil tight (snap bell)**
**CGI : Water tight**
**PVCF : Water tight PVC female**

## Galvanized Steel Ladder

| | Installation | Description | Code | Unit Price |
|---|---|---|---|---|
| < | Factory | Ladder leg | ECHEPAT_INS* | 109,66$ / pair |
| < | Factory | Ladder | 33ECHEPIED** | 146,27$ / foot |

*** Minimum 2 pairs required per ladder.**
**** Deduct 17 in (432 mm) from the overall height of your catch basin to determine the required height of the ladder.**
**** The distance between each step is 12 in (305 mm).**

## Lifting Eyelet

| | Installation | Code | Unit Price |
|---|---|---|---|
| < | Factory | POEILLET_INS | 203,00$ / pair |

**From 900 mm (36 in), handling components are included (eyelet for 900 mm (36 in) and lifting cable for larger diameters).**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## MANHOLE/CATCH BASIN ACCESSORIES

### Storm Sewer Trap Cover

| | Installation | Code | Unit Price |
|---|---|---|---|
| < | Factory | OEILLETCLOCHE_INS | 117,58 $ |

Factory

### Hook For Retention Bell

| | Installation | Code | Unit Price |
|---|---|---|---|
| < | Factory | CROCHETCLOCHE_INS | 132,85 $ |

Factory

### HDPE Grid

| Diameter | Code | Unit Price |
|---|---|---|
| 300 mm (12 in) | 33GP012 | 112,25 $ |
| 375 mm (15 in) | 33GP015 | 173,55 $ |
| 450 mm (18 in) | 33GP018 | 219,61 $ |



**Model shown**
33GP012

**Restricted to off-road use only.**

**Screws are included with the grate.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## MANHOLE/CATCH BASIN ACCESSORIES

### Fusion Box

| | Diameter | Code | Unit Price |
|---|---|---|---|
| < | 900 mm (36 in) | 33P363P09 | 916,70 $ |



**Height of 0,9 m.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## CAST IRON

### Frame And Grate Kit

**Model shown**

33FS450HC

| Diameter | Code | Unit Price |
|---|---|---|
| 300 mm (12 in) | 33FS300HC | 172,47 $ |
| 375 mm (15 in) | 33FS375HC | 296,02 $ |
| 450 mm (18 in) | 33FS450HC | 334,30 $ |
| 600 mm (24 in) | 33FS600HC | 628,48 $ |
| 750 mm (30 in) | 33FS750HC | 1279,34 $ |
| 900 mm (36 in) | 33FS900HC | 1472,80 $ |

**Restricted to off-road use only.**

### Frame And Cover Kit

**Model shown**

33FTP36 + 33GC2950

| Description | Code | Unit Price |
|---|---|---|
| < Frame 450 mm (18 in) | 33FTP18 | 238,89 $ |
| < Cover 450 mm (18 in) | 33GC1800 | 658,68 $ |
| < Frame 600 mm (24 in) | 33FTP24 | 352,43 $ |
| < Cover 600 mm (24 in) | 33GC2250 | 869,84 $ |
| < Frame 750 mm (30 in) | 33FTP30 | 870,00 $ |
| < Cover 750 mm (30 in) | 33GC2950 | 1029,17 $ |
| < Frame 900 mm (36 in) | 33FTP36 | 1084,31 $ |
| < Cover 900 mm (36 in) | 33GC2950 | 1029,17 $ |

**Restricted to off-road use only.**

**Bolt is not included.**

### Frame And Curved Grate Kit

**Model shown**

GL-600-B-29

| Description | Code | Unit Price |
|---|---|---|
| < Frame 300 mm (12 in) | 33FTP12 | 106,42 $ |
| < Grate 300 mm (12 in) | GS-300-B | 321,18 $ |
| < Frame 450 mm (18 in) | 33FTP18 | 238,89 $ |
| < Grate 450 mm (18 in) | GL-450-B | 677,08 $ |
| < Grate 600 mm (24 in) | GL-600-B-29* | 1348,79 $ |

*** Frame not required.**

**Bolt is not included.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## RISER FOR MANHOLE/CATCH BASIN WITH SMOOTH EXTERIOR WALL

### 2 Corrugation Riser

| | Diameter | Height | Code | Unit Price |
|---|---|---|---|---|
| < | 450 mm (18 in) | 149 mm (5.9 in) | 33PH182A3P | 287,09 $ |
| < | 525 mm (21 in) | 151 mm (6 in) | 33PH212A3P | 374,59 $ |
| < | 600 mm (24 in) | 201 mm (7.9 in) | 33PH242A3P | 465,05 $ |
| < | 750 mm (30 in) | 200 mm (7.9 in) | 33PH302A3P | 839,40 $ |
| < | 900 mm (36 in) | 200 mm (7.9 in) | 33PH362A3P | 880,70 $ |

**Model shown**

33PH242A3P





### 3 Corrugation Riser

| | Diameter | Height | Code | Unit Price |
|---|---|---|---|---|
| < | 450 mm (18 in) | 223 mm (8.8 in) | 33PH183A3P | 339,41 $ |
| < | 525 mm (21 in) | 227 mm (8.9 in) | 33PH213A3P | 446,63 $ |
| < | 600 mm (24 in) | 301 mm (11.9 in) | 33PH243A3P | 553,63 $ |
| < | 750 mm (30 in) | 300 mm (11.8 in) | 33PH303A3P | 997,69 $ |
| < | 900 mm (36 in) | 300 mm (11.8 in) | 33PH363A3P | 1048,43 $ |

**Model shown**

33PH363A3P





< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## MONOLITHIC CATCH BASIN INLET / CONNECTION

### Welded Connection On Main Pipe

| Diameter | Code | Unit Price |
|---|---|---|
| < 100 mm (4 in) | 33ES04 | 175,62 $ |
| < 150 mm (6 in) | 33ES06 | 214,79 $ |
| < 200 mm (8 in) | 33ES08 | 253,88 $ |



**Model shown**

33ES06 on a 750 mm (30") Solflo Max pipe

**The main pipe connections will be welded in factory on Solflo Max pipes with a diameter of 750 mm (30 in) and more. The price excludes the main pipe.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

# TANK

## Unit

| | Diameter | Code | Unit Price 13.12' | 19.68' | 29.53' |
|---|---|---|---|---|---|
| < | 1200 mm (48 in) | R4804C24 | On request | | |
| < | 1200 mm (48 in) | R4806C24 | | On request | |
| < | 1200 mm (48 in) | R4809C24 | | | On request |
| < | 1200 mm (48 in) | R4804C36 | On request | | |
| < | 1200 mm (48 in) | R4806C36 | | On request | |
| < | 1200 mm (48 in) | R4809C36 | | | On request |



**Model shown**

R4804C36

## Chimney

| | Description | Height | Diameter | Code | Unit Price |
|---|---|---|---|---|---|
| < | Corrugated ext. (off-road use) | | 600 mm (24 in) | RC24-1 | On request |
| < | Corrugated ext. (off-road use) | | 900 mm (36 in) | RC36-1 | On request |

**Model shown**

RC36-1

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SETTLING AND SEPARATION TANK FOR STORM WATER

### Unit

| | Diameter | Code | Unit Price -6000 (19.68') | Unit Price -12000 (39.37') |
|---|---|---|---|---|
| < | 750 mm (30 in) | 33UD30 | On request | On request |
| < | 900 mm (36 in) | 33UD36 | On request | On request |
| < | 1200 mm (48 in) | 33UD48 | On request | On request |
| < | 1500 mm (60 in) | 33UD60 | On request | On request |

**The settling and separation unit is designed specifically for each application. The selling price is based on the standard configuration found on the technical sheet of the product available at www.soleno.com. The purchase price will be influenced by the final configuration, as well as the options chosen.**




**Storm Water Settling and Separation units of more than 1 500 mm (60 in) are available on request.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## SETTLING AND SEPARATION TANK FOR STORM WATER

### Riser (from 0.3 m to 1 m in height)

| Description | Height | Diameter | Code | Unit Price |
|---|---|---|---|---|
| < Corrugated ext. (off-road use) | 1 m (3.28 ft) | 750 mm (30 in) | 33UPTBC30-A1.0* | 254,27$ / ft |
| < Smooth ext. (roadway use) | 1 m (3.28 ft) | 750 mm (30 in) | 33UPTBC30-L1.0* | 312,25$ / ft |

Model shown
33UPTBC30-A1.0

Model shown
33UPTBC30-L1.0

* Factory installed.

### Riser (over 1 m in height)

| Description | Height | Diameter | Code | Unit Price |
|---|---|---|---|---|
| < Corrugated ext. (off-road use) | 0.4 m (1.31 ft) | 750 mm (30 in) | 33UPTBC30-A0.4* | 624,36$ / unit |
| < Corrugated ext. (off-road use) | 1 m (3.28 ft) | 750 mm (30 in) | 33UPTC30-A1.0** | 226,58$ / ft |
| < Smooth ext. (roadway use) | 1 m (3.28 ft) | 750 mm (30 in) | 33UPTC30-L1.0** | 492,55$ / ft |

Model shown
33UPTBC30-A0.4

Model shown
33UPTC30-A1.0

Model shown
33UPTC30-L1.0

* Factory installed.
** To be installed by contractor on jobsite.

### Cast Iron

| Diameter | Code | Unit Price |
|---|---|---|
| < 775 mm (31 in) | 33GCUT30TR | 951,10$ |
| < 775 mm (31 in) | 33GSL77511S | 1500,11$ |

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## RETENTION CHAMBER - STORMCHAMBER

### Chamber SC-18

| Description | Code | Unit Price |
|---|---|---|
| Start unit | SC1801 | 768,32 $ |
| End unit | SC1802 | 768,32 $ |
| Middle unit | SC1803 | 768,32 $ |
| Closed unit | SC1804 | 768,32 $ |



**Model shown**

SC1801

### Chamber SC-34E

| Description | Code | Unit Price |
|---|---|---|
| Start unit | SC0001 | 943,51 $ |
| End unit | SC0002 | 943,51 $ |
| Middle unit | SC0003 | 943,51 $ |
| Closed unit | SC0004 | 943,51 $ |



**30 units per palet.**

**Model shown**

SC0003

### Chamber SC-44

| Description | Code | Unit Price |
|---|---|---|
| Start unit | SC4401 | 1012,99 $ |
| End unit | SC4402 | 1012,99 $ |
| Middle unit | SC4403 | 1012,99 $ |
| Closed unit | SC4404 | 1012,99 $ |



**Model shown**

SC4403

**See our installation vidéo at www.soleno.com/en/produits/stormchamber-retention-system/.**

**Our StormChamber line of products is available out of St-Nicolas, Quebec only.**

**StormChamber chambers can be orange or black. The color does not affect the properties of the product in any way.**



< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## RETENTION CHAMBER - HYDROSTOR

### Chamber

**Model shown**

HS180-CH

| Code | Qty / Skid | Unit Price |
|---|---|---|
| HS31-CH | 45 | 336,53 $ |
| HS75-CH | 33 | 666,29 $ |
| HS180-CH | 19 | 1194,30 $ |
| HS290-CH | 10 | 1812,03 $ |

### End Cap

**Model shown**

HS180-EM

| Code | Unit Price |
|---|---|
| HS31-EM | 207,89 $ |
| HS75-EM | 262,32 $ |
| HS180-EM | 950,23 $ |
| HS290-EM | 1313,50 $ |

**Our HydroStor line of products is available out of St-Nicolas, Quebec only.**

**Note that the HydroStor retention chamber end cap color may change without notice. The color does not affect, in any case, the properties of the product.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## RETENTION CHAMBER - ECOCHAMBER

### Chamber

| | Description | Code | Unit Price |
|---|---|---|---|
| < | Middle Chamber Eco 2036 | ECOM2036 | 500,28 $ |
| < | Ecochamber Start Chamber (Green Dot) | ECOD2036 | 500,28 $ |
| < | Ecochamber End Chamber (Red Dot) | ECOF2036 | 500,28 $ |

**Model shown**

ECOM2036

**Contact our internal sales team for more information.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

# CHAMBER ACCESSORIES

## Sediment Trap

| | Diameter | Code | Unit Price |
|---|---|---|---|
| < | 600 mm (24 in) | SC1805* | 1887,02 $ |
| < | 750 mm (30 in) | SC0005** | 1887,02 $ |

***Compatible with SC-18.**
****Compatible with SC-34 and SC-44.**

## Inspection Port

| Description | Code | Unit Price |
|---|---|---|
| Ajust. frame/cover 250 mm (10") | 33CA10SC < | 838,58 $ |
| Adapter 250 mm (10") | 33ADR10 | 83,66 $ |
| Transition gasket 250 mm (10") | MPGT10 | 27,81 $ |
| Reducer 250mm(10")PVCF X 150mm(6")PVCM HS31 | 33RED10PVCF06PVCM < | 309,36 $ |
| Reducer 250mm(10")PVCF X 200mm(8")PVCM HS75, HS180, HS29 | 33RED10PVCF08PVCM < | 329,86 $ |

## Geotextile

| | Description | Dimension(s) | Code | Unit Price |
|---|---|---|---|---|
| < | Woven 2006W | 4.57 m x 92 m | GTA20059 | 1534,61 $ |
| < | Woven 2006W HS31 | 4.57 m x 1.27 m | GTA20059-HS31 | 47,45 $ |
| < | Woven 2006W HS75, SC18 or ECO203( | 4.57 m x 1.70 m | GTA20059-HS75 | 58,50 $ |
| < | Woven 2006W HS180, SC34 or SC44 | 4.57 m x 2.38 m | GTA20059-HS180 | 77,45 $ |
| < | Woven 2006W HS290 | 4.57 m x 2.96 m | GTA20059-HS290 | 93,61 $ |
| < | Non-Woven TX-90 | 3.81 m x 150 m | GT76091 | 1457,33 $ |

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

# PRETREATMENT UNIT

## Unit

| | Diameter | Code | Unit Price 13.12' | Unit Price 19.68' |
|---|---|---|---|---|
| < | 900 mm (36 in) | 33UPT3604 | 4634,85$ | |
| < | 900 mm (36 in) | 33UPT3606 | | 5800,89$ |
| < | 1050 mm (42 in) | 33UPT4204 | 5236,11$ | |
| < | 1050 mm (42 in) | 33UPT4206 | | 6531,85$ |
| < | 1200 mm (48 in) | 33UPT4804 | 6315,52$ | |
| < | 1200 mm (48 in) | 33UPT4806 | | 7695,84$ |
| < | 1500 mm (60 in) | 33UPT6004 | 12219,14$ | |
| < | 1500 mm (60 in) | 33UPT6006 | | 15684,62$ |




## Inlet

**Model shown**
33UPTE12CGI

| | Diameter | Code | Unit Price |
|---|---|---|---|
| < | 300 mm (12 in) | 33UPTE12CGI | 568,40$ |
| < | 375 mm (15 in) | 33UPTE15CGI | 800,89$ |
| < | 450 mm (18 in) | 33UPTE18CGI | 1022,23$ |
| < | 525 mm (21 in) | 33UPTE21CGI | 1271,31$ |
| < | 600 mm (24 in) | 33UPTE24CGI | 1427,98$ |
| < | 750 mm (30 in) | 33UPTE30CGI | 1496,38$ |

## Outlet To Chamber

**Model shown**
33UPTSC12CCGI

| | Diameter | Code | Unit Price |
|---|---|---|---|
| < | 300 mm (12 in) | 33UPTSC12CCGI | 466,05$ |
| < | 375 mm (15 in) | 33UPTSC15CCGI | 689,66$ |
| < | 450 mm (18 in) | 33UPTSC18CCGI | 947,54$ |
| < | 525 mm (21 in) | 33UPTSC21CCGI | 1408,00$ |
| < | 600 mm (24 in) | 33UPTSC24CCGI | 1676,20$ |
| < | 750 mm (30 in) | 33UPTSC30CCGI | 1962,74$ |

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

# PRETREATMENT UNIT

## Outlet To Diffuser

**Model shown**
33UPTSD12CCGI

| | Diameter | Code | Unit Price |
|---|---|---|---|
| < | 300 mm (12 in) | 33UPTSD12CCGI | 556,11$ |
| < | 375 mm (15 in) | 33UPTSD15CCGI | 901,45$ |
| < | 450 mm (18 in) | 33UPTSD18CCGI | 1308,11$ |
| < | 525 mm (21 in) | 33UPTSD21CCGI | 1904,46$ |
| < | 600 mm (24 in) | 33UPTSD24CCGI | 2372,63$ |
| < | 750 mm (30 in) | 33UPTSD30CCGI | 2895,31$ |

## Riser (from 0.3 m to 1 m in height)

| Description | Height | Diameter | Code | Unit Price |
|---|---|---|---|---|
| < Corrugated ext. (off-road use) | 1 m (3.28 ft) | 750 mm (30 in) | 33UPTBC30-A1.0* | 254,27$ / ft |
| < Smooth ext. (roadway use) | 1 m (3.28 ft) | 750 mm (30 in) | 33UPTBC30-L1.0* | 312,25$ / ft |

**Model shown**
33UPTBC30-A1.0

**Model shown**
33UPTBC30-L1.0

*** Factory installed.**

## Riser (over 1 m in height)

| Description | Height | Diameter | Code | Unit Price |
|---|---|---|---|---|
| < Corrugated ext. (off-road use) | 0.4 m (1.31 ft) | 750 mm (30 in) | 33UPTBC30-A0.4* | 624,36$ / unit |
| < Corrugated ext. (off-road use) | 1 m (3.28 ft) | 750 mm (30 in) | 33UPTC30-A1.0** | 226,58$ / ft |
| < Smooth ext. (roadway use) | 1 m (3.28 ft) | 750 mm (30 in) | 33UPTC30-L1.0** | 492,55$ / ft |

**Model shown**
33UPTBC30-A0.4

**Model shown**
33UPTC30-A1.0

**Model shown**
33UPTC30-L1.0

*** Factory installed.**
**** To be installed by contractor on jobsite.**

## Cast Iron

| | Diameter | Code | Unit Price |
|---|---|---|---|
| | 775 mm (31 in) | 33GCUT30TR | 951,10$ |
| | 775 mm (31 in) | 33GSL77511S | 1500,11$ |

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## PLASTIC GEOCELLULAR STORMWATER MANAGEMENT SYSTEM STORMBRIXX

### StormBrixx

| | Description | Unit Price |
|---|---|---|
| < | StormBrixx HD | On request |
| < | StormBrixx SD | On request |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## RETENTION BASIN - 900 mm (36")

### Components

| | Description | Unit Price |
|---|---|---|
| < | Pipe BNQ-CSA SFM R320 N/P 900mm(36") 6M CGI | 3600,42 $ |
| < | Elbow 900mm(36") male/female | 2120,58 $ |
| < | Tee 900mm(36") male/female | 3048,11 $ |
| < | Corrugated Chimney 600mm(24") installed 1m high | 675,46 $ |
| < | Corrugated Chimney 900mm(36") installed 1m high (ladder included) | 1924,93 $ |
| < | Smooth Exterior Chimney 600mm(24") installed 1m high | 940,87 $ |
| < | Smooth Exterior Chimney 900mm(36") installed 1m high (ladder included) | 2149,13 $ |
| < | Welded Plate 900mm(36") | 995,78 $ |

Pipe

Elbow



Tee



Corrugated Chimney



Smooth Exterior Chimney



Welded Plate

**Contact our internal sales team for more information.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## RETENTION BASIN - 1200 mm (48")

### Components

| | Description | Unit Price |
|---|---|---|
| < | Pipe BNQ-CSA SFM R145 N/P 1200mm(48") 6M CGI | 4024,86 $ |
| < | Elbow 1200mm(48") male/female | 3142,54 $ |
| < | Tee 1200mm(48") male/female | 4899,29 $ |
| < | Corrugated Chimney 600mm(24") installed 1m high | 675,46 $ |
| < | Corrugated Chimney 900mm(36") installed 1m high (ladder included) | 1924,93 $ |
| < | Smooth Exterior Chimney 600mm(24") installed 1m high | 940,87 $ |
| < | Smooth Exterior Chimney 900mm(36") installed 1m high (ladder included) | 2149,13 $ |
| < | Welded Plate 1200mm(48") | 2758,11 $ |

Pipe

Elbow



Tee



Corrugated Chimney



Smooth Exterior Chimney



Welded Plate

**Contact our internal sales team for more information.**

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## CONCRETE CDS

### Unit

| Description | Code | Unit Price |
|---|---|---|
| < Treatment Unit CDS-3 | CDS-3 | On request |
| < Treatment Unit CDS-4 | CDS-4 | On request |
| < Treatment Unit CDS-5 | CDS-5 | On request |
| < Treatment Unit CDS-6 | CDS-6 | On request |
| < Treatment Unit CDS-7 | CDS-7 | On request |
| < Treatment Unit CDS-8 | CDS-8* | On request |
| < Treatment Unit CDS-10 | CDS-10* | On request |
| < Treatment Unit CDS-12 | CDS-12* | On request |



*** The internal components (fiberglass cylinder and stainless steel grate) must be installed on site by the contractor.**

**Model shown**

CDS-5

**The concrete CDS are equipped with a cast iron frame and buffer kit with the treatment inscription.**

### Cast iron

| Description | Code | Unit Price |
|---|---|---|
| < Standard Contech 12" frame and cover | 33GFC12CON | On request |
| < Standard Contech 24" frame and cover | 33GFC24CON | On request |
| < Standard Contech 30" frame and cover | 33GFC30CON | On request |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## HDPE CDS

### Unit

| Description | Code | Unit Price |
|---|---|---|
| < Treatment Unit CDS-3 HDPE | CDS-3-PEHD | On request |
| < Treatment Unit CDS-4 HDPE | CDS-4-PEHD | On request |
| < Treatment Unit CDS-5 HDPE | CDS-5-PEHD | On request |
| < Treatment Unit CDS-6 HDPE | CDS-6-PEHD | On request |
| < Treatment Unit CDS-7 HDPE | CDS-7-PEHD | On request |
| < Treatment Unit CDS-8 HDPE | CDS-8-PEHD | On request |
| < Treatment Unit CDS-10 HDPE | CDS-10-PEHD | On request |



**Model shown**

CDS-5-PEHD

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## STORMFILTER

### Manhole

| | Diameter | Standard height | Code | Unit Price |
|---|---|---|---|---|
| < | 1200 mm (48 in) | 1.8 m (6 ft) | SFMH48 | On request |
| < | 1500 mm (60 in) | 1.8 m (6 ft) | SFMH60 | On request |
| < | 1800 mm (72 in) | 1.8 m (6 ft) | SFMH72 | On request |
| < | 2400 mm (96 in) | 1.8 m (6 ft) | SFMH96 | On request |



**Model shown**

SFMH48

### Cast iron

| | Description | Code | Unit Price |
|---|---|---|---|
| < | Standard Contech 12" frame and cover | 33GFC12CON | On request |
| < | Standard Contech 24" frame and cover | 33GFC24CON | On request |
| < | Standard Contech 30" frame and cover | 33GFC30CON | On request |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## STORMFILTER

### Vault

| | Dimension(s) | Standard height | Code | Unit Price |
|---|---|---|---|---|
| < | 2.4 m x 1.8 m (8 ft x 6 ft) | 1.8 m (6 ft) | SFV0806 | On request |
| < | 2.4 m x 3.3 m (8 ft x 11 ft) | 1.8 m (6 ft) | SFV0811 | On request |
| < | 2.4 m x 4.2 m (8 ft x 14 ft) | 1.8 m (6 ft) | SFV0814 | On request |
| < | 2.4 m x 4.8 m (8 ft x 16 ft) | 1.8 m (6 ft) | SFV0816 | On request |
| < | 2.4 m x 5.4 m (8 ft x 18 ft) | 1.8 m (6 ft) | SFV0818 | On request |
| < | 2.4 m x 6.0 m (8 ft x 20 ft) | 1.8 m (6 ft) | SFV0820 | On request |
| < | 2.4 m x 6.6 m (8 ft x 22 ft) | 1.8 m (6 ft) | SFV0822 | On request |
| < | 2.4 m x 7.2 m (8 ft x 24 ft) | 1.8 m (6 ft) | SFV0824 | On request |



**Model shown**

SFV0811

### Cast iron

| | Description | Code | Unit Price |
|---|---|---|---|
| < | Standard Contech 12" frame and cover | 33GFC12CON | On request |
| < | Standard Contech 24" frame and cover | 33GFC24CON | On request |
| < | Standard Contech 30" frame and cover | 33GFC30CON | On request |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## STORMFILTER

### Vault with internal bypass structure

| | Dimension(s) | Standard height | Code | Unit Price |
|---|---|---|---|---|
| < | 2.4 m x 1.8 m (8 ft x 6 ft) | 1.8 m (6 ft) | SFPD0806 | On request |
| < | 1.8 m x 3.6 m (6 ft x 12 ft) | 1.8 m (6 ft) | SFPD0612 | On request |
| < | 2.4 m x 3.3 m (8 ft x 11 ft) | 1.8 m (6 ft) | SFPD0811 | On request |
| < | 2.4 m x 4.2 m (8 ft x 14 ft) | 1.8 m (6 ft) | SFPD0814 | On request |
| < | 2.4 m x 4.8 m (8 ft x 16 ft) | 1.8 m (6 ft) | SFPD0816 | On request |
| < | 2.4 m x 5.4 m (8 ft x 18 ft) | 1.8 m (6 ft) | SFPD0818 | On request |
| < | 2.4 m x 6.0 m (8 ft x 20 ft) | 1.8 m (6 ft) | SFPD0820 | On request |
| < | 2.4 m x 6.6 m (8 ft x 22 ft) | 1.8 m (6 ft) | SFPD0822 | On request |
| < | 2.4 m x 7.2 m (8 ft x 24 ft) | 1.8 m (6 ft) | SFPD0824 | On request |



**Model shown**

SFPD0811

### Cast iron

| | Description | Code | Unit Price |
|---|---|---|---|
| < | Standard Contech 12" frame and cover | 33GFC12CON | On request |
| < | Standard Contech 24" frame and cover | 33GFC24CON | On request |
| < | Standard Contech 30" frame and cover | 33GFC30CON | On request |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01

## STEEL ACCESSORIES

### Steel Eyelet

| Code | Unit Price |
|---|---|
| 6OEILLET | 170,00 $ |

**These eyelets are used to reposition the pipes when they are in place in the trench. Handle pipes using slings.**

### Nuts And Bolts

| Diameter | Code | Unit Price |
|---|---|---|
| 150 mm (6 in) | MPXBOU6 | 2,18 $ |
| 200 mm (8 in) | MPXBOU8 | 3,05 $ |

## REMOVABLE FISH WEIR

### For Steel Pipe

| Diameter | Code | Unit Price |
|---|---|---|
| 1200 mm (48 in) | DEVERSOIR1200 | 1144,45 $ |
| 1400 mm (56 in) | DEVERSOIR1400 | 1377,32 $ |
| 1500 mm (60 in) | DEVERSOIR1500 | 1384,11 $ |
| 1600 mm (64 in) | DEVERSOIR1600 | 1392,47 $ |
| 1800 mm (72 in) | DEVERSOIR1800 | 1409,41 $ |
| 2000 mm (80 in) | DEVERSOIR2000 | 1458,54 $ |
| 2200 mm (88 in) | DEVERSOIR2200 | 1519,05 $ |
| 2400 mm (96 in) | DEVERSOIR2400 | 1567,49 $ |
| 2700 mm (108 in) | DEVERSOIR2700 | 1643,57 $ |
| 3000 mm (120 in) | DEVERSOIR3000 | 1699,05 $ |
| 3300 mm (132 in) | DEVERSOIR3300 | 1773,45 $ |
| 3600 mm (144 in) | DEVERSOIR3600 | 1868,39 $ |



< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

## GEOTEXTILES

| Dimension(s) | Application(s) | Code | Price / Sq yd |
|---|---|---|---|
| **Epurtex** | | | |
| 1.5 m x 50 m (1.64 yd x 54.68 yd) | A | GTEP15050 | 1,90 $ |
| Surface area : 75 sq m (89.70 sq yd) | | | |
| 3 m x 150 m (3.28 yd x 164.04 yd) | A | GTEP30150 | 1,90 $ |
| Surface area : 450 sq m (538.20 sq yd) | | | |
| **TX-80** | | | |
| 1.75 m x 30 m (1.91 yd x 32.81 yd) | B & C | GT76073 | 2,28 $ |
| Surface area : 52.5 sq m (62.79 sq yd) | | | |
| 1.17 m x 150 m (1.28 yd x 164.04 yd) | B & C | GT76074 | 2,17 $ |
| Surface area : 175.5 sq m (209.90 sq yd) | | | |
| 1.75 m x 150 m (1.91 yd x 164.04 yd) | B & C | GT76075 | 2,17 $ |
| Surface area : 262.5 sq m (313.95 sq yd) | | | |
| 0.7 m x 50 m (0.77 yd x 54.68 yd) | B & C | GT76078 | 2,37 $ |
| Surface area : 35 sq m (41.86 sq yd) | | | |
| 3.5 m x 150 m (3.83 yd x 164.04 yd) | B & C | GT76079 | 2,17 $ |
| Surface area : 525 sq m (627.89 sq yd) | | | |
| **TX-170 - BNQ Certified** | | | |
| 3.81 m x 100 m (4.17 yd x 109.36 yd) | C & E | GT76120 < | 2,93 $ |
| Surface area : 381 sq m (455.67 sq yd) | | | |
| **TX-F** | | | |
| 3.5 m x 50 m (3.83 yd x 54.68 yd) | D | GT76165F | 3,91 $ |
| Surface area : 175 sq m (209.30 sq yd) | | | |
| 3.5 m x 100 m (3.83 yd x 109.36 yd) | D | GT76169F | 3,91 $ |
| Surface area : 350 sq m (418.60 sq yd) | | | |

**APPLICATION(S) :**

**A- Wastewater disposal field.**
**B- Drainage trenches, filter-envelopes (perforated pipes), behind retaining walls (gabions, concrete).**
**C- Roads and accessways, residential driveways, sidewalks, parking lots.**
**D- Embossment at culvert ends, road development in forestry.**
**E- Protection of geomembranes, aquatic basins.**

< : indicates return fee of 50% or more.
: Product for green infrastructure.



Publication date : 2024-03-01

# FLOW REGULATOR

## Plug Style Flow Regulator

| | Diameter | Code | Unit Price |
|---|---|---|---|
| < | 150 mm (6 in) | 33RD06IPEXBOUCHON | On request |
| < | 200 mm (8 in) | 33RD08IPEXBOUCHON | On request |
| < | 250 mm (10 in) | 33RD10IPEXBOUCHON | On request |
| < | 300 mm (12 in) | 33RD12IPEXBOUCHON | On request |
| < | 375 mm (15 in) | 33RD15IPEXBOUCHON | On request |
| < | 450 mm (18 in) | 33RD18IPEXBOUCHON | On request |
| < | 600 mm (24 in) | 33RD24IPEXBOUCHON | On request |

## Plate Flow Regulator

| | Diameter | Code | Unit Price |
|---|---|---|---|
| < | 150 mm (6 in) | 33RD06IPEXPLAQUE | On request |
| < | 200 mm (8 in) | 33RD08IPEXPLAQUE | On request |
| < | 250 mm (10 in) | 33RD10IPEXPLAQUE | On request |
| < | 300 mm (12 in) | 33RD12IPEXPLAQUE | On request |
| < | 375 mm (15 in) | 33RD15IPEXPLAQUE | On request |
| < | 450 mm (18 in) | 33RD18IPEXPLAQUE | On request |
| < | 600 mm (24 in) | 33RD24IPEXPLAQUE | On request |

## Vortex Flow Regulator



| | Diameter | Unit Price |
|---|---|---|
| < | 200 mm (8 in) | On request |
| < | 250 mm (10 in) | On request |
| < | 300 mm (12 in) | On request |
| < | 350 mm (14 in) | On request |
| < | 450 mm (18 in) | On request |
| < | 500 mm (20 in) | On request |
| < | 550 mm (22 in) | On request |
| < | 600 mm (24 in) | On request |
| < | 700 mm (28 in) | On request |

## Check Valve



| | Diameter | Unit Price |
|---|---|---|
| < | 100 mm (4 in) | On request |
| < | 150 mm (6 in) | On request |
| < | 200 mm (8 in) | On request |
| < | 250 mm (10 in) | On request |

< : indicates return fee of 50% or more.

: Product for green infrastructure.



Publication date : 2024-03-01